



一家专注于生产电动车，滑板车，自行车车头前叉钢碗组合件企业，年产车头碗组件2000万套，中轴碗组件500万套。

- 浙江省宁波市新浦镇心连心路5-1号
- 15995292993
- Chinaguocong1@guocongcheye.com
- Chinaguocong2@guocongcheye.com
- Chinaguocong3@guocongcheye.com
- 无锡市锡山区安镇电动车城8区B栋北1-8号
- 15995292993
- 天津市北辰区双口镇恒信广场2号楼1-2号
- 15995292993



公众号



企业官网



国聪车业

GUOCONG 2021-2022

宁波国聪车业有限公司

专注生产：电动车 / 滑板车 / 自行车配件

精密耐用 无噪音 精细工艺保障



宁波国聪车业有限公司 公司介绍

寧波國聰車業有限公司（簡稱國聰公司）位于杭州灣跨海大橋南端的美麗城市-慈溪新浦工業園，是一家專注于生產電動車，滑板車，自行車車頭前叉鋼碗組合件企業，年產車頭碗組件2000萬套，中軸碗組件500萬套，公司成立于2014年，總建築面積達10000平米，員工100人，在行業內與衆一綫整車品牌達成戰略合作，如：雅迪，小刀，新日等在全國電動車各大生產基地等均有設立辦事處一比一服務配送辦理銜接業務。



我司具備雄厚的技術力量，較強的自主研發能力，生產的配件以科學的設計、先進的工藝、各種各樣的款式、型號,深受國內外廣大客戶的關注和喜愛。不斷追求更新的產品,更高的質量，更低的成本和更好的服務。我司視產品質量為生命，本着“客戶第一、質量至上、服務第一、信譽第一”的經營理念加強企業基本管理，嚴把零件的質量關，真正讓用戶買得放心，用得稱心，用戶至上是我司的經營承諾。

國聰公司熱忱與海內外朋友真誠合作，并熱烈歡迎廣大新老客戶蒞臨參觀指導視察、洽談商務合作，攜手共創美好的明天！公司擁有先進的生產設備及檢測儀器，通過獲得ISO9001:2015質量管理體系認證證書，公司還設立無錫國聰精密機械有限公司分公司位于大型電動車生產基地錫山區安鎮電動車城8區B棟北1號-8號，天津辦事處坐落子自行車發源地天津市北辰區雙口鎮，國聰公司成立至今，憑借自己的人才團隊、自主品牌定位及陽光的機制不斷超越自我，實現了連續數年的增長！我們的服務宗旨是打造更好的產品讓人民的出行更加美好！

產品榮譽



廠房設備



檢測設備



洛式硬度计

盐雾试验箱

直读光谱仪

目錄

2021-2022
CATALOGUE & TECHNICAL MANUAL

車頭碗組

Integrated Threadless Headsets	全隱藏式無牙車頭碗	P.01-P.06
Semi-Integrated Threadless Headsets	半隱藏式無牙車頭碗	P.06-P.14
Semi-Integrated Threaded Headsets	半隱藏式有牙車頭碗	P.14-P.17
External Cup Threadless Headsets	外露式無牙車頭碗	P.17-P.23
130° Safety Headsets	安全車頭碗	P.24-P.26
External Cup Threaded Headsets	外露式有牙車頭碗	P.26-P.31
E-bike head parts	電動車車頭碗組	P.32


五通碗組

Cartridge Cotterless B.B. Sets	P.34-P.37
External Cup/ Press-Fit B.B. Sets/Bottom Brackets	P.38-P.39



G13

WEIGHT	50g
SIZE	1" Integrated Threadless Headset
SHIS NORM	IS38.2/25.4 IS38.2/27(26.4)




堆積高度 (STACK HEIGHT) = 10.5±1mm

NO.	零件名稱 PART NAME	材質 MATERIAL	台量 QTY	尺寸 DIM DESCRIPTION
1	O形圈 O-Ring	橡膠 NBR	1	ID25.3xO2
2	鋁上蓋 TOP COVER	鋁合金 ALLOY	1	1"
3	鋁斜管 COMPRESSION RING	鋁合金 ALLOY	1	1"
4	密封式軸承 A.C. SEALED BEARING	軸承鋼 SUJ2	1	OD38x36 °x45 °
5	鋁下蓋 CROWN RACE	鋁合金 ALLOY	1	O27(O26.4) +0.1 -0.1

G33

WEIGHT	55g
SIZE	1-1/8" Integrated Threadless Headset
SHIS NORM	IS41.2/28.6 IS41.2/30




堆積高度 (STACK HEIGHT) = 10.2 ±1mm

NO.	零件名稱 PART NAME	材質 MATERIAL	台量 QTY	尺寸 DIM DESCRIPTION
1	O形圈 O-Ring	橡膠 NBR	1	ID28.5xO2
2	碳纖維上蓋 TOP COVER	碳纖維 CARBON FIBER	1	1-1/8"
3	防塵蓋 DUST-RESISTANT COVER	鐵+橡膠 STEEL+NBR	1	
4	鋁斜管 COMPRESSION RING	鋁合金 ALLOY	1	1-1/8"
5	密封式軸承 A.C. SEALED BEARING	軸承鋼 SUJ2	2	OD41x36 °x45 °
6	鋁下蓋 CROWN RACE	鋁合金 ALLOY	1	O30 +0.1 -0.1

G34

WEIGHT	60.3g
SIZE	1-1/8" Integrated Threadless Headset
SHIS NORM	IS41.2/28.6 IS41.2/30




堆積高度 (STACK HEIGHT) =9.5 ±1mm

NO.	零件名稱 PART NAME	材質 MATERIAL	台量 QTY	尺寸 DIM. DESCRIPTION
1	O形圈 O-Ring	橡膠 NBR	1	ID28.5xO2
2	鋁上蓋 TOP COVER	鋁合金 ALLOY	1	1-1/8"
3	防塵蓋 DUST-RESISTANT COVER	鐵+橡膠 STEEL+NBR	1	
4	鋁斜管 COMPRESSION RING	鋁合金 ALLOY	1	1-1/8"
5	密封式軸承 A.C. SEALED BEARING	軸承鋼 SUJ2	2	OD41x36 "x45"
6	鋁下蓋 CROWN RACE	鋁合金 ALLOY	1	Ø30 ⁺⁰ / _{-0.1}

G61

WEIGHT	64g
SIZE	1-1/8" Integrated Threadless Headset
SHIS NORM	IS41.2/28.6 IS41.2/30




堆積高度 (STACK HEIGHT) =9.8 ±1mm

NO.	零件名稱 PART NAME	材質 MATERIAL	台量 QTY	尺寸 DIM. DESCRIPTION
1	O形圈 O-Ring	橡膠 NBR	1	ID28.5xO2
2	鋁上蓋 TOP COVER	鋁合金 ALLOY	1	1-1/8"
3	防塵蓋 DUST-RESISTANT COVER	鐵+橡膠 STEEL+NBR	1	
4	塑膠斜管 COMPRESSION RING	塑膠 NYLON	1	1-1/8"
5	卡式軸承 CARTRIDGE BALL BEARING	鉻鉬鋼 CR-MO STEEL	2	OD41x36 "x45"
6	下蓋 CROWN RACE	碳鋼 STEEL	1	Ø30 ⁺⁰ / _{-0.1}

G62SK

WEIGHT	78.4g
SIZE	1" INTEGRATED THREADLESS HEADSET
SHIS NORM	IS42/25.4 IS42/27(26.4)




堆積高度 (STACK HEIGHT) =9.4 ±1mm

NO.	零件名稱 PART NAME	材質 MATERIAL	台量 QTY	尺寸 DIM. DESCRIPTION
1	一體式上蓋組 TOP CONE SET	鋁合金 ALLOY	1	1"
2	一體式下蓋組 LOWER CONE SET	鋁合金 ALLOY	1	Ø27(Ø26.4) ⁺⁰ / _{-0.1}

G63

WEIGHT	74g
SIZE	1-1/8" Integrated Threadless Headset Campy Compatible
SHIS NORM	IS42/28.6 IS42/30



堆積高度 (STACK HEIGHT) =9.4 ±1mm

NO.	零件名稱 PART NAME	材質 MATERIAL	台量 QTY	尺寸 DIM. DESCRIPTION
1	O形圈 O-Ring	橡膠 NBR	1	ID28.5xO2
2	鋁上蓋 TOP COVER	鋁合金 ALLOY	1	1-1/8"
3	防塵蓋 DUST-RESISTANT COVER	橡膠 NBR	1	
4	鋁斜管 COMPRESSION RING	鋁合金 ALLOY	1	1-1/8"
5	卡式軸承 CARTRIDGE BALL BEARING	鉻鉬鋼 CR-MO STEEL	2	OD41.8x45 "x45"
6	下蓋 CROWN RACE	碳鋼 STEEL	1	Ø30 ⁺⁰ / _{-0.1}

G38

WEIGHT	61g
SIZE	1-1/8" Integrated Threadless Headset Campy Compatible
SHIS NORM	IS42/28.6 IS42/30



堆積高度 (STACK HEIGHT) =10.1±1mm

NO.	零件名稱 PART NAME	材質 MATERIAL	台量 QTY	尺寸 DIM. DESCRIPTION
1	O形圈 O-Ring	橡膠 NBR	1	ID28.5xO2
2	碳纖維上蓋 TOP COVER	碳纖維 CARBON FIBER	1	1-1/8"
3	防塵蓋 DUST-RESISTANT COVER	鐵+橡膠 STEEL+NBR	1	
4	鋁斜管 COMPRESSION RING	鋁合金 ALLOY	1	1-1/8"
5	密封式軸承 A.C. SEALED BEARING	軸承鋼 SUJ2	2	OD41.8x45 "x45"
6	鋁下蓋 CROWN RACE	鋁合金 ALLOY	1	Ø30 ⁺⁰ / _{-0.1}

G62

WEIGHT	65g
SIZE	1-1/8" Integrated Threadless Headset Campy Compatible
SHIS NORM	IS42/28.6 IS42/30



堆積高度 (STACK HEIGHT) =9.4 ±1mm

NO.	零件名稱 PART NAME	材質 MATERIAL	台量 QTY	尺寸 DIM. DESCRIPTION
1	O形圈 O-Ring	橡膠 NBR	1	ID28.5xO2
2	鋁上蓋 TOP COVER	鋁合金 ALLOY	1	1-1/8"
3	防塵蓋 DUST-RESISTANT COVER	橡膠 NBR	1	
4	鋁斜管 COMPRESSION RING	鋁合金 ALLOY	1	1-1/8"
5	密封式軸承 A.C. SEALED BEARING	軸承鋼 SUJ2	2	OD41.8x45 "x45"
6	鋁下蓋 CROWN RACE	鋁合金 ALLOY	1	Ø30 ⁺⁰ / _{-0.1}

G62S

WEIGHT	70g
SIZE	1-1/8" Head Tube Reduced to 1" Fork Stem Integrated Threadless Headset
SHIS NORM	IS42/25.4 IS42/27(26.4)




堆積高度 (STACK HEIGHT) =9.4 ±1mm

NO.	零件名稱 PART NAME	材質 MATERIAL	台量 QTY	尺寸 DIM. DESCRIPTION
1	O形圈 O-Ring	橡膠 NBR	1	ID25.3xO2
2	鋁上蓋 TOP COVER	鋁合金 ALLOY	1	1"
3	防塵蓋 DUST-RESISTANT COVER	橡膠 NBR	1	
4	鋁斜管 COMPRESSION RING	鋁合金 ALLOY	1	1"
5	密封式軸承 A.C. SEALED BEARING	軸承鋼 SUJ2	2	OD41.8x45 "x45"
6	鋁下蓋 CROWN RACE	鋁合金 ALLOY	1	Ø27(Ø26.4) ⁺⁰ / _{-0.1}

G63MP

WEIGHT	70g
SIZE	1-1/8" Integrated Threadless Headset Campy Compatible
SHIS NORM	IS42/28.6 IS42/30




堆積高度 (STACK HEIGHT) =16.2 ±1mm

NO.	零件名稱 PART NAME	材質 MATERIAL	台量 QTY	尺寸 DIM. DESCRIPTION
1	塑膠上蓋 TOP COVER	塑膠 PC	1	1-1/8"
2	鋁斜管 COMPRESSION RING	鋁合金 ALLOY	1	1-1/8"
3	卡式軸承 CARTRIDGE BALL BEARING	鉻鉬鋼 CR-MO STEEL	2	OD41.8x45 "x45"
4	下蓋 CROWN RACE	碳鋼 STEEL	1	Ø30 ⁺⁰ / _{-0.1}

G271

WEIGHT	85g
SIZE	1.5" Head Tube Reduced to 1-1/4" Fork Tube Integrated Threadless Headset
SHIS NORM	IS47/31.8 IS52/39.8(33)



堆積高度 (STACK HEIGHT) =8.2 ±1mm

NO.	零件名稱 PART NAME	材質 MATERIAL	台量 QTY	尺寸 DIM. DESCRIPTION
1	O形圈 O-Ring	橡膠 NBR	1	ID31.5xØ1.78
2	上蓋 TOP COVER	鋁合金 ALLOY	1	1-1/4"
3	鉛斜管 COMPRESSION RING	鋁合金 ALLOY	1	1-1/4"
4	密封式軸承 A.C. SEALED BEARING	軸承鋼 SUJ2	1	OD46.8x45 °x45 °
5	特大型密封式軸承 OVERSIZED A.C. SEALED BEARINGS	軸承鋼 SUJ2	1	OD52x45 °x45 °
6	鋁下蓋 CROWN RACE	鋁合金 ALLOY	1	Ø39.8(Ø33) +0 -0.1

G484S

WEIGHT	83.6g
SIZE	1.5" Head Tube Reduced to 1-1/8" Fork Tube Integrated Threadless Headset
SHIS NORM	IS42/28.6 IS52.2/39.8(30)



堆積高度 (STACK HEIGHT) =9.4 ±1mm

NO.	零件名稱 PART NAME	材質 MATERIAL	台量 QTY	尺寸 DIM. DESCRIPTION
1	O形圈 O-Ring	橡膠 NBR	1	ID28.5xØ2
2	上蓋 TOP COVER	鋁合金 ALLOY	1	1-1/8"
3	防塵蓋 DUST-RESISTANT COVER	橡膠 NBR	1	
4	鉛斜管 COMPRESSION RING	鋁合金 ALLOY	1	1-1/8"
5	卡式軸承 CARTRIDGE BALL BEARING	鉻鉻鋼 CR-MO STEEL	1	OD41.8x45 °x45 °
6	特大型卡式軸承 OVERSIZED CARTRIDGE BALL BEARING	鉻鉻鋼 CR-MO STEEL	1	OD52x45 °x45 °
7	鋁下蓋 CROWN RACE	鋁合金 ALLOY	1	Ø39.8(Ø30) +0 -0.1

G484

WEIGHT	87g
SIZE	1.5" Head Tube Reduced to 1-1/8" Fork Tube Integrated Threadless Headset
SHIS NORM	IS42/28.6 IS52.2/39.8 (30)




堆積高度 (STACK HEIGHT) =9.1 ±1mm

NO.	零件名稱 PART NAME	材質 MATERIAL	台量 QTY	尺寸 DIM. DESCRIPTION
1	上蓋 TOP COVER	鋁合金 ALLOY	1	1-1/8"
2	塑膠斜管 COMPRESSION RING	塑膠 NYLON	1	1-1/8"
3	卡式上碗 UPPER CARTRIDGE BALL BEARING	硬鋼 STEEL	1	OD41.8x36 °x45 °
4	卡式下碗 LOWER CARTRIDGE BALL BEARING	硬鋼 STEEL	1	Ø52x45 °
5	下蓋 CROWN RACE	硬鋼 STEEL	1	Ø39.8(Ø30) +0 -0.1

G484GMP

WEIGHT	88g
SIZE	1.5" Head Tube Reduced to 1-1/8" Fork Tube Integrated Threadless Headset
SHIS NORM	IS42/28.6 IS52.2/39.8 (30)




堆積高度 (STACK HEIGHT) =16.6 ±1mm

NO.	零件名稱 PART NAME	材質 MATERIAL	台量 QTY	尺寸 DIM. DESCRIPTION
1	上蓋 TOP COVER	塑膠 PC	1	1-1/8"
2	鉛斜管 COMPRESSION RING	鋁合金 ALLOY	1	1-1/8"
3	卡式軸承 CARTRIDGE BALL BEARING	硬鋼 STEEL	1	OD41.8x36 °x45 °
4	卡式下碗 LOWER CARTRIDGE BALL BEARING	硬鋼 STEEL	1	Ø52x45 °
5	下蓋 CROWN RACE	硬鋼 STEEL	1	Ø39.8(Ø30) +0 -0.1

G484 [G484C]

WEIGHT	80g
SIZE	1.5" Head Tube Reduced to 1-1/8" Fork Tube Integrated Threadless Headset
SHIS NORM	IS42/28.6 IS52.2/39.8(30)
OPTIONAL	H373C-Carbon Top Cover Height 10.4 ± 1mm




堆積高度 (STACK HEIGHT) =9.7 ±1mm

NO.	零件名稱 PART NAME	材質 MATERIAL	台量 QTY	尺寸 DIM. DESCRIPTION
1	O形圈 O-Ring	橡膠 NBR	1	ID28.5xØ2
2	上蓋 TOP COVER	鋁合金 ALLOY	1	1-1/8"
3	防塵蓋 DUST-RESISTANT COVER	橡膠 NBR	1	
4	鉛斜管 COMPRESSION RING	鋁合金 ALLOY	1	1-1/8"
5	密封式軸承 A.C. SEALED BEARING	軸承鋼 SUJ2	1	OD41.8x45 °x45 °
6	特大型密封式軸承 OVERSIZED A.C. SEALED BEARINGS	軸承鋼 SUJ2	1	OD52x45 °x45 °
7	鋁下蓋 CROWN RACE	鋁合金 ALLOY	1	Ø39.8(Ø30) +0 -0.1

G484MPS

WEIGHT	88g
SIZE	1.5" Head Tube Reduced to 1-1/8" Fork Tube Integrated Threadless Headset
SHIS NORM	IS42/28.6 IS52.2/39.8 (30)




堆積高度 (STACK HEIGHT) =16.3 ±1mm

NO.	零件名稱 PART NAME	材質 MATERIAL	台量 QTY	尺寸 DIM. DESCRIPTION
1	上蓋 TOP COVER	塑膠 PC	1	1-1/8"
2	鉛斜管 COMPRESSION RING	鋁合金 ALLOY	1	1-1/8"
3	卡式軸承 CARTRIDGE BALL BEARING	鉻鉻鋼 CR-MO STEEL	1	OD41.8x45 °x45 °
4	特大型卡式軸承 OVERSIZED CARTRIDGE BALL BEARING	鉻鉻鋼 CR-MO STEEL	1	OD52x45 °x45 °
5	鋁下蓋 CROWN RACE	鋁合金 ALLOY	1	Ø39.8(Ø30) +0 -0.1

G484-C63

WEIGHT	80g
SIZE	1-1/5" Head Tube Reduced to 1-1/8" Fork Tube Integrated Threadless Headset
SHIS NORM	IS42/28.6 IS52/39.8(30)




堆積高度 (STACK HEIGHT) =9.5 ±1mm

NO.	零件名稱 PART NAME	材質 MATERIAL	台量 QTY	尺寸 DIM. DESCRIPTION
1	O形圈 O-Ring	橡膠 NBR	1	ID28.5xØ2
2	上蓋 TOP COVER	鋁合金 ALLOY	1	1-1/8"
3	防塵蓋 DUST-RESISTANT COVER	橡膠 NBR	1	
4	鉛斜管 COMPRESSION RING	鋁合金 ALLOY	1	1-1/8"
5	密封式軸承 A.C. SEALED BEARING	軸承鋼 SUJ2	1	OD41.8x45 °x45 °
6	特大型卡式軸承 OVERSIZED CARTRIDGE BALL BEARING	軸承鋼 SUJ2	1	OD51.8x45 °x45 °
7	鋁下蓋 CROWN RACE	鋁合金 ALLOY	1	Ø39.8(Ø30) +0 -0.1

G492 [1.5"]

WEIGHT	99g
SIZE	1.5" Integrated Threadless Headset
SHIS NORM	IS52.2/38.1 IS52.2/39.8




堆積高度 (STACK HEIGHT) =9.1 ±1mm

NO.	零件名稱 PART NAME	材質 MATERIAL	台量 QTY	尺寸 DIM. DESCRIPTION
1	O形圈 O-Ring	橡膠 NBR	1	ID37.82xØ1.78
2	鋁上蓋 TOP COVER	鋁合金 ALLOY	1	1.5"
3	鉛斜管 COMPRESSION RING	鋁合金 ALLOY	1	1.5"
4	特大型密封式軸承 OVERSIZED A.C. SEALED BEARINGS	軸承鋼 SUJ2	2	OD52x45 °x45 °
5	鋁下蓋 CROWN RACE	鋁合金 ALLOY	1	Ø39.8 +0 -0.1

G228DM G228DMM

WEIGHT	106g
SIZE	1-1/8" Semi-Integrated Threadless Headset
SHIS NORM	ZS44/28.6 ZS44/30



堆積高度 (STACK HEIGHT) = 23 ±1mm

NO.	零件名稱 PART NAME	材質 MATERIAL	台量 QTY	尺寸 DIM. DESCRIPTION
1	壓鑄鉛上蓋 DIE CASTING ALLOY COVER	鋁合金 ALLOY	1	1-1/8"
2	上防護套 UPPER DUST-RESISTANT COVER	塑膠 NYLON	1	
3	塑膠斜管 COMPRESSION RING	塑膠 NYLON	1	1-1/8"
4	上塞 TOP CONE	鈹鉚鋼 CR-MO STEEL	1	
5	珠巢 BALL RETAINER	碳鋼 STEEL	2	5/32"x22
6	上下碗 CUPS	碳鋼 STEEL	2	Ø44 +0.15 -0
7	下防護套 LOWER DUST-RESISTANT COVER	碳鋼 STEEL	1	
8	下塞 CROWN RACE	碳鋼 STEEL	1	Ø30 +0 -0.1

G228CDM G228CDMM

WEIGHT	141.3g
SIZE	1-1/8" Semi-Integrated Threadless Headset
SHIS NORM	ZS44/28.6 ZS44/30




堆積高度 (STACK HEIGHT) = 21.2 ±1mm

NO.	零件名稱 PART NAME	材質 MATERIAL	台量 QTY	尺寸 DIM. DESCRIPTION
1	壓鑄鉛上蓋 DIE CASTING ALLOY COVER	鋁合金 ALLOY	1	1-1/8"
2	上防護套 UPPER DUST-RESISTANT COVER	塑膠 NYLON	1	
3	塑膠斜管 COMPRESSION RING	塑膠 NYLON	1	1-1/8"
4	上塞 TOP CONE	碳鋼 STEEL	1	
5	卡式上下碗 CARTRIDGE CUPS	碳鋼 STEEL	2	Ø44 +0.15 -0
6	下塞 CROWN RACE	碳鋼 STEEL	1	Ø30 +0 -0.1

G256

WEIGHT	77g
SIZE	1-1/8" Semi-Integrated Threadless Headset
SHIS NORM	ZS44/28.6 ZS44/30




堆積高度 (STACK HEIGHT) = 14.1±1mm

NO.	零件名稱 PART NAME	材質 MATERIAL	台量 QTY	尺寸 DIM. DESCRIPTION
1	O形圈 O-Ring	橡膠 NBR	1	ID28.5xØ2
2	上塞 TOP COVER	鋁合金 ALLOY	1	1-1/8"
3	防護蓋 DUST-RESISTANT COVER	鐵+橡膠 STEEL+NBR	1	
4	鉛斜管 COMPRESSION RING	鋁合金 ALLOY	1	1-1/8"
5	密封式軸承 A.C. SEALED BEARING	軸承鋼 SUJ2	2	OD41x36 "x45"
6	鉛碗 CUPS	鋁合金 ALLOY	2	Ø44 +0.15 -0
7	鉛下塞 CROWN RACE	鋁合金 ALLOY	1	Ø30 +0 -0.1

G257

WEIGHT	77.8g
SIZE	1-1/8" Semi-Integrated Threadless Headset
SHIS NORM	ZS44/28.6 ZS44/30




堆積高度 (STACK HEIGHT) = 9.1±1mm

NO.	零件名稱 PART NAME	材質 MATERIAL	台量 QTY	尺寸 DIM. DESCRIPTION
1	O形圈 O-Ring	橡膠 NBR	1	ID28.5xØ2
2	上塞 TOP COVER	鋁合金 ALLOY	1	1-1/8"
3	防護蓋 DUST-RESISTANT COVER	塑膠 NYLON	1	
4	鉛斜管 COMPRESSION RING	鋁合金 ALLOY	1	1-1/8"
5	密封式軸承 A.C. SEALED BEARING	軸承鋼 SUJ2	2	OD41x36 "x45"
6	鉛碗 CUPS	鋁合金 ALLOY	2	Ø44 +0.15 -0
7	鉛下塞 CROWN RACE	鋁合金 ALLOY	1	Ø30 +0 -0.1

G235

WEIGHT	91g
SIZE	1" Semi-Integrated Threadless Headset
SHIS NORM	ZS44/25.4 ZS44/27(26.4)



堆積高度 (STACK HEIGHT) = 10 ±1mm

NO.	零件名稱 PART NAME	材質 MATERIAL	台量 QTY	尺寸 DIM. DESCRIPTION
1	O形圈 O-Ring	橡膠 NBR	1	ID25.3xØ2
2	上塞 TOP COVER	鋁合金 ALLOY	1	1"
3	防護蓋 DUST-RESISTANT COVER	塑膠 NYLON	1	
4	鉛斜管 COMPRESSION RING	鋁合金 ALLOY	1	1"
5	卡式軸承 CARTRIDGE BALL BEARING	鈹鉚鋼 CR-MO STEEL	2	OD41x36 "x45"
6	鉛碗 CUPS	鋁合金 ALLOY	2	Ø44 +0.15 -0
7	下塞 CROWN RACE	碳鋼 STEEL	1	Ø27(Ø26.4) +0 -0.1

G236

WEIGHT	60.8g
SIZE	1-1/8" Semi-Integrated Threadless Headset
SHIS NORM	ZS44/28.6 ZS44/30




堆積高度 (STACK HEIGHT) = 10 ±1mm

NO.	零件名稱 PART NAME	材質 MATERIAL	台量 QTY	尺寸 DIM. DESCRIPTION
1	O形圈 O-Ring	橡膠 NBR	1	ID28.5xØ2
2	上塞 TOP COVER	鋁合金 ALLOY	1	1-1/8"
3	防護蓋 DUST-RESISTANT COVER	塑膠 NYLON	1	
4	塑膠斜管 COMPRESSION RING	塑膠 NYLON	1	1-1/8"
5	卡式軸承 CARTRIDGE BALL BEARING	鈹鉚鋼 CR-MO STEEL	2	OD41x36 "x45"
6	鉛碗 CUPS	鋁合金 ALLOY	2	Ø44 +0.15 -0
7	下塞 CROWN RACE	碳鋼 STEEL	1	Ø30 +0 -0.1

G259

WEIGHT	106g
SIZE	1-1/8" Semi-Integrated Threadless Headset
SHIS NORM	ZS44/28.6 ZS44/30



堆積高度 (STACK HEIGHT) = 9.9±1mm

NO.	零件名稱 PART NAME	材質 MATERIAL	台量 QTY	尺寸 DIM. DESCRIPTION
1	O形圈 O-Ring	橡膠 NBR	1	ID28.5xØ2
2	上塞 TOP COVER	鋁合金 ALLOY	1	1-1/8"
3	防護蓋 DUST-RESISTANT COVER	塑膠 NYLON	1	
4	塑膠斜管 COMPRESSION RING	塑膠 NYLON	1	1-1/8"
5	卡式碗 CARTRIDGE STEEL CUPS	碳鋼 STEEL	2	Ø44 +0.15 -0
6	下塞 CROWN RACE	碳鋼 STEEL	1	Ø30 +0 -0.1

G259MP


WEIGHT	103.3g
SIZE	1-1/8" Semi-Integrated Threadless Headset
SHIS NORM	ZS44/28.6 ZS44/30




堆積高度 (STACK HEIGHT) = 19.5±1mm

NO.	零件名稱 PART NAME	材質 MATERIAL	台量 QTY	尺寸 DIM. DESCRIPTION
1	塑膠上蓋 TOP COVER	塑膠 PC	1	1-1/8"
2	塑膠斜管 COMPRESSION RING	塑膠 NYLON	1	1-1/8"
3	半卡式碗 1/2" CARTRIDGE STEEL CUPS	碳鋼 STEEL	2	Ø44 +0.15 -0
4	下塞 CROWN RACE	碳鋼 STEEL	1	Ø30 +0 -0.1

G291




WEIGHT	75g
SIZE	1-1/8" Semi-Integrated Threadless Headset
SHIS NORM	ZS44/28.6 ZS44/30




堆積高度 (STACK HEIGHT) =13.7±1mm

NO.	零件名稱 PART NAME	材質 MATERIAL	台量 QTY	尺寸 DIM. DESCRIPTION
1	O形圈 O-Ring	橡膠 NBR	1	ID28.5xØ2
2	上蓋 TOP COVER	碳纖維 CARBON FIBER	1	1-1/8"
3	防護蓋 DUST-RESISTANT COVER	橡膠 NBR	1	
4	鋁斜管 COMPRESSION RING	鋁合金 ALLOY	1	1-1/8"
5	密封式軸承 A.C. SEALED BEARINGS	軸承鋼 SUJ2	2	
6	鉛碗 CUPS	鋁合金 ALLOY	2	Ø44 +0.15 -0
7	鋁下蓋 CROWN RACE	鋁合金 ALLOY	1	Ø30 +0 -0.1

G296



WEIGHT	98g
SIZE	1-1/8" Semi-Integrated Threadless Headset
SHIS NORM	ZS44/28.6 ZS44/30



堆積高度 (STACK HEIGHT) =11.7 ±1mm

NO.	零件名稱 PART NAME	材質 MATERIAL	台量 QTY	尺寸 DIM. DESCRIPTION
1	鋁上蓋 TOP COVER	鋁合金 ALLOY	1	1-1/8"
2	塑膠斜管 COMPRESSION RING	塑膠 NYLON	1	1-1/8"
3	上蓋 TOP CONE	碳鋼 STEEL	1	1-1/8"
4	珠巢 BALL RETAINER	碳鋼 STEEL	2	5/32"x22
5	上碗 UPPER CUP	碳鋼 STEEL	1	Ø44 +0.15 -0
6	下碗 LOWER CUP	碳鋼 STEEL	1	Ø44 +0.15 -0
7	塑膠防護套 DUST-RESISTANT COVER	塑膠 NYLON	1	
8	下蓋 CROWN RACE	碳鋼 STEEL	1	Ø30 +0 -0.1

G298




WEIGHT	102g
SIZE	1-1/4" Reduced to 1-1/8" Fork Tube Semi-Integrated Threadless Headset
SHIS NORM	ZS41.4/28.6 ZS50.6/33(30)




堆積高度 (STACK HEIGHT) =12.2±1mm

NO.	零件名稱 PART NAME	材質 MATERIAL	台量 QTY	尺寸 DIM. DESCRIPTION
1	O形圈 O-Ring	橡膠 NBR	1	ID28.5xØ2
2	上蓋 TOP COVER	鋁合金 ALLOY	1	1-1/8"
3	鋁斜管 COMPRESSION RING	鋁合金 ALLOY	1	1-1/8"
4	密封式軸承 AC SEALED BEARING	軸承鋼 SUJ2	1	OD39x45 "x45"
5	上碗 UPPER CUP	鋁合金 ALLOY	1	Ø41.4 +0.15 -0
6	下碗 LOWER CUP	鋁合金 ALLOY	1	Ø50.6 +0.15 -0
7	加大型卡式軸承 OVERSIZED CARTRIDGE BALL BEARING	軸承鋼 SUJ2	1	OD47x45 "x45"
8	下蓋 CROWN RACE	碳鋼 STEEL	1	Ø33(30) +0 -0.1

G443L



WEIGHT	145g
SIZE	1.5" Head Tube Reduced to 1-1/8" Fork Tube Semi-Integrated + External Cup Threadless Headset
SHIS NORM	ZS49.7/28.6 EC49.7 /39.8(30)




堆積高度 (STACK HEIGHT) =20.3±1mm

NO.	零件名稱 PART NAME	材質 MATERIAL	台量 QTY	尺寸 DIM. DESCRIPTION
1	O形圈 O-Ring	橡膠 NBR	1	ID28.5xØ2
2	鋁上蓋 TOP COVER	鋁合金 ALLOY	1	1-1/8"
3	鋁斜管 COMPRESSION RING	鋁合金 ALLOY	1	1-1/8"
4	密封式軸承 AC SEALED BEARING	軸承鋼 SUJ2	1	OD41x36 "x45"
5	O形圈 O-Ring	橡膠 NBR	1	ID37.82xØ1.78
6	上碗 UPPER CUP	鋁合金 ALLOY	1	Ø49.7 +0.15 -0
7	下碗 LOWER CUP	鋁合金 ALLOY	1	Ø49.7 +0.15 -0
8	特大型卡式軸承 OVERSIZED AC SEALED BEARING	軸承鋼 SUJ2	1	OD52x45 "x45"
9	鋁下蓋 CROWN RACE	鋁合金 ALLOY	1	Ø39.8(30) +0 -0.1

G298



WEIGHT	130g
SIZE	1-1/4" Head Tube Reduced to 1-1/8" Fork Tube Semi-Integrated Threadless Headset
SHIS NORM	ZS44/28.6 ZS50.6/33(30)




堆積高度 (STACK HEIGHT) =9.9 ±1mm

NO.	零件名稱 PART NAME	材質 MATERIAL	台量 QTY	尺寸 DIM. DESCRIPTION
1	O形圈 O-Ring	橡膠 NBR	1	ID28.5xØ2
2	上蓋 TOP COVER	鋁合金 ALLOY	1	1-1/8"
3	防護蓋 DUST-RESISTANT COVER	塑膠 NYLON	1	
4	塑膠斜管 COMPRESSION RING	塑膠 NYLON	1	1-1/8"
5	半卡式碗 SEMI-CARTRIDGE CUP	碳鋼 STEEL	1	Ø44 +0.15 -0
6	下碗 LOWER CUP	鋁合金 ALLOY	1	Ø50.6 +0.15 -0
7	加大型卡式軸承 OVERSIZED CARTRIDGE BALL BEARING	軸承鋼 SUJ2	1	OD47x45 "x45"
8	下蓋 CROWN RACE	碳鋼 STEEL	1	Ø33(30) +0 -0.1

G299



WEIGHT	106g
SIZE	1-1/4" Head Tube Reduced to 1-1/8" Fork Tube Semi-Integrated Threadless Headset
SHIS NORM	ZS44/28.6 ZS50.6/33(30)



堆積高度 (STACK HEIGHT) =9.2±1mm

NO.	零件名稱 PART NAME	材質 MATERIAL	台量 QTY	尺寸 DIM. DESCRIPTION
1	O形圈 O-Ring	橡膠 NBR	1	ID28.5xØ2
2	上蓋 TOP COVER	鋁合金 ALLOY	1	1-1/8"
3	防護蓋 DUST-RESISTANT COVER	塑膠 NYLON	1	
4	塑膠斜管 COMPRESSION RING	塑膠 NYLON	1	1-1/8"
5	密封式軸承 AC SEALED BEARING	軸承鋼 SUJ2	1	OD41x36 "x45"
6	上碗 UPPER CUP	鋁合金 ALLOY	1	Ø44 +0.15 -0
7	下碗 LOWER CUP	鋁合金 ALLOY	1	Ø50.6 +0.15 -0
8	加大型卡式軸承 OVERSIZED CARTRIDGE BALL BEARING	軸承鋼 SUJ2	1	OD47x45 "x45"
9	下蓋 CROWN RACE	碳鋼 STEEL	1	Ø33(30) +0 -0.1

G478-4



WEIGHT	70g
SIZE	1-1/8" Semi-Integrated Threadless Headset
SHIS NORM	ZS41.4/28.6 ZS41.4 /30



堆積高度 (STACK HEIGHT) =10.2±1mm


NO.	零件名稱 PART NAME	材質 MATERIAL	台量 QTY	尺寸 DIM. DESCRIPTION
1	鋁蓋 TOP COVER	鋁合金 ALLOY	1	1-1/8"
2	塑膠斜管 COMPRESSION RING	塑膠 NYLON	1	1-1/8"
3	上下蓋 TOP & LOWER CONE	碳鋼 STEEL	2	Ø30 +0 -0.1
4	防護蓋 DUST-RESISTANT COVER	塑膠 NYLON	1	
5	珠巢 BALL RETAINER	碳鋼 STEEL	2	1/8"x23
6	上下碗 CUPS	碳鋼 STEEL	2	Ø41.4 +0.15 -0

G494[G494A]

G495[G495A]



WEIGHT	106g
SIZE	1.5" Head Tube Reduced to 1-1/8" Fork Tube Semi-Integrated Threadless Headset
SHIS NORM	ZS44/28.6 ZS55/39.8 (H383)
OPTIONAL	H384 #6 Crown Race ID:30.0mm
SHIS NORM	ZS44/28.6 ZS55/30(H384)
OPTIONAL MATERIAL	H383A/H384A-Alloy lower cup and Crown Race



堆積高度 (STACK HEIGHT) =9.5±1mm

NO.	零件名稱 PART NAME	材質 MATERIAL	台量 QTY	尺寸 DIM. DESCRIPTION
1	O形圈 O-Ring	橡膠 NBR	1	ID28.5xØ 2
2	上蓋 TOP COVER	鋁合金 ALLOY	1	1-1/8"
3	防護蓋 DUST-RESISTANT COVER	塑膠 NYLON	1	
4	鋁斜管 COMPRESSION RING	鋁合金 ALLOY	1	1-1/8"
5	密封式軸承 AC SEALED BEARING	軸承鋼 SUJ2	1	OD41x36 "x45"
6	上碗 UPPER CUP	鋁合金 ALLOY	1	Ø44 +0.15 -0
7	下碗 LOWER CUP	碳鋼 STEEL	1	Ø55 +0.15 -0
8	加大型卡式軸承 OVERSIZED AC SEALED BEARING	軸承鋼 SUJ2	1	OD52x45 "x45"
9	下蓋 CROWN RACE	碳鋼 STEEL	1	Ø39.8(30) +0 -0.1

G494AE [G495AE]

WEIGHT	106g
SIZE	1.5" Head Tube Reduced to 1-1/8" Fork Tube Semi-Integrated Threadless Headset
SHIS NORM	ZS44/28.6 ZS56/39.8(H383AE)
OPTIONAL	H384AE #6 Crown Race ID:30.0mm
SHIS NORM	ZS44/28.6 ZS56/30(H384AE)




可選配之上蓋高度
(TOP COVER IS OPTIONAL)

型號(MODEL NO.): H385AE(H384AE)

型號(MODEL NO.): H383AE(H384EM)

型號(MODEL NO.): H383AE(H384EH)




堆積高度 (STACK HEIGHT) =9.5±1mm

NO.	零件名稱 PART NAME	材質 MATERIAL	台量 QTY	尺寸 DIM. DESCRIPTION
1	O形圈 O-Ring	橡膠 NBR	1	ID28.5xO 2
2	上蓋 TOP COVER	鋁合金 ALLOY	1	1-1/8"
3	防塵蓋 DUST-RESISTANT COVER	塑膠 NYLON	1	
4	鋁斜管 COMPRESSION RING	鋁合金 ALLOY	1	1-1/8"
5	密封式軸承 AC SEALED BEARING	軸承鋼 SUJ2	1	OD41x36 "x45"
6	上碗 UPPER CUP	鋁合金 ALLOY	1	Ø44 +0.15 -0
7	下碗 LOWER CUP	鋁合金 ALLOY	1	Ø56 +0.15 -0
8	加大型卡式軸承 OVERSIZE CARTRIDGE BEARING	軸承鋼 SUJ2	1	OD52x45 "x45"
9	鋁下塞 CROWN RACE	鋁合金 ALLOY	1	Ø39.8(Ø30) +0 -0.1

G496[G496E] G497[G497E]

WEIGHT	97g
SIZE	1.5" Head Tube Reduced to 1-1/8" Fork Tube Semi-Integrated Headset
SHIS NORM	ZS44/28.6 ZS55/39.8 (H385)
OPTIONAL	ZS44/28.6 ZS55/30(H386)
OPTIONAL	H385E/H386E:Lower Head Tube ID/OD =55/62mm




可選配之上蓋高度
(TOP COVER IS OPTIONAL)

型號(MODEL NO.): H385(H386)

型號(MODEL NO.): H385EH(H386M)

型號(MODEL NO.): H385EH(H386H)





堆積高度 (STACK HEIGHT) =9.5±1mm

NO.	零件名稱 PART NAME	材質 MATERIAL	台量 QTY	尺寸 DIM. DESCRIPTION
1	O形圈 O-Ring	橡膠 NBR	1	ID28.5xO 2
2	上蓋 TOP COVER	鋁合金 ALLOY	1	1-1/8"
3	防塵蓋 DUST-RESISTANT COVER	橡膠 NBR	1	
4	鋁斜管 COMPRESSION RING	鋁合金 ALLOY	1	1-1/8"
5	密封式軸承 AC SEALED BEARING	軸承鋼 SUJ2	1	OD41x36 "x45"
6	鋁上碗 UPPER CUP	鋁合金 ALLOY	1	Ø44 +0.15 -0
7	鋁下碗 LOWER CUP	鋁合金 ALLOY	1	Ø55(Ø56) +0.15 -0
8	加大型卡式軸承 OVERSIZE CARTRIDGE BEARING	軸承鋼 SUJ2	1	OD52x45 "x45"
9	鋁下塞 CROWN RACE	鋁合金 ALLOY	1	Ø39.8(Ø30) +0 -0.1

G224N

WEIGHT	163g
SIZE	1-1/8" Semi-Integrated Threaded Headset w/Plastic Cover
DIMENSIONS	Ø25.4x44/50x30



堆積高度 (STACK HEIGHT) =25.5 ±1mm

NO.	零件名稱 PART NAME	材質 MATERIAL	台量 QTY	尺寸 DIM. DESCRIPTION
1	塑膠蓋 TOP COVER	塑膠 NYLON	1	1-1/8"
2	防水上迫緊 LOCK NUT WITH SEAL	碳鋼 STEEL	1	BC 1-1/8"x26T
3	有領華司 KEY WASHER	碳鋼 STEEL	1	1-1/8"
4	上蓋 ADJUSTING CONE	碳鋼 STEEL	1	BC 1-1/8"x26T
5	防塵蓋 DUST-RESISTANT COVER	塑膠 NYLON	1	
6	珠巢 BALL RETAINER	碳鋼 STEEL	2	5/32"x22
7	上下碗 CUPS	碳鋼 STEEL	2	Ø44 +0.15 -0
8	塑膠防塵蓋 DUST-RESISTANT COVER	塑膠 NYLON	1	
9	下塞 CROWN RACE	碳鋼 STEEL	1	Ø30 +0 -0.1

G229 [G229H]


WEIGHT	103g
SIZE	1-1/8" Semi-Integrated Threaded Headset
DIMENSIONS	Ø25.4x44/50x30



可選配之上蓋高度
(TOP COVER IS OPTIONAL)

型號(MODEL NO.): H118

型號(MODEL NO.): H118H




堆積高度 (STACK HEIGHT) =23.5 ±1mm

NO.	零件名稱 PART NAME	材質 MATERIAL	台量 QTY	尺寸 DIM. DESCRIPTION
1	防水上迫緊 LOCK NUT WITH SEAL	鋁合金 ALLOY	1	BC 1-1/8"x26T
2	有領華司 KEY WASHER	碳鋼 STEEL	1	1-1/8"
3	鋁上蓋 ADJUSTING CONE	鋁合金 ALLOY	1	BC 1-1/8"x26T
4	防塵蓋 DUST-RESISTANT COVER	塑膠 NYLON	1	
5	卡式軸承 CARTRIDGE BALL BEARING	鉻鉬鋼 CR-MO STEEL	2	OD41x36 "x45"
6	鋁碗 CUPS	鋁合金 ALLOY	2	Ø44 +0.15 -0
7	下塞 CROWN RACE	碳鋼 STEEL	1	Ø30 +0 -0.1

G219 [G219H]


WEIGHT	106g
SIZE	1" Semi-Integrated Threaded Headset
DIMENSIONS	Ø22.2x44/50x27(26.4)



可選配之上蓋高度
(TOP COVER IS OPTIONAL)

型號(MODEL NO.): H108

型號(MODEL NO.): H108H




堆積高度 (STACK HEIGHT) =23.2 ±1mm

NO.	零件名稱 PART NAME	材質 MATERIAL	台量 QTY	尺寸 DIM. DESCRIPTION
1	防水上迫緊 LOCK NUT WITH SEAL	鋁合金 ALLOY	1	BC 1"x24T
2	有領華司 KEY WASHER	碳鋼 STEEL	1	1"
3	鋁上蓋 ADJUSTING CONE	鋁合金 ALLOY	1	BC 1"x24T
4	防塵蓋 DUST-RESISTANT COVER	塑膠 NYLON	1	
5	卡式軸承 CARTRIDGE BALL BEARING	鉻鉬鋼 CR-MO STEEL	2	OD41x36 "x45"
6	鋁碗 CUPS	鋁合金 ALLOY	2	Ø44 +0.15 -0
7	下塞 CROWN RACE	碳鋼 STEEL	1	Ø27(Ø26.4) +0 -0.1

G223N

WEIGHT	171g
SIZE	1-1/8" Semi-Integrated Threaded Headset w/Alloy Cover
DIMENSIONS	Ø25.4x44/50x30



堆積高度 (STACK HEIGHT) =25.5 ±1mm

NO.	零件名稱 PART NAME	材質 MATERIAL	台量 QTY	尺寸 DIM. DESCRIPTION
1	O形圈 O-Ring	橡膠 NBR	1	ID25.3xO 2
2	鋁蓋 TOP COVER	鋁合金 ALLOY	1	1-1/8"
3	防水上迫緊 LOCK NUT WITH SEAL	碳鋼 STEEL	1	BC 1-1/8"x26T
4	有領華司 KEY WASHER	碳鋼 STEEL	1	1-1/8"
5	上蓋 ADJUSTING CONE	碳鋼 STEEL	1	BC 1-1/8"x26T
6	防塵蓋 DUST-RESISTANT COVER	塑膠 NYLON	1	
7	珠巢 BALL RETAINER	碳鋼 STEEL	2	5/32"x16
8	上下碗 CUPS	碳鋼 STEEL	2	Ø44 +0.15 -0
9	塑膠防塵蓋 DUST-RESISTANT COVER	塑膠 NYLON	1	
10	下塞 CROWN RACE	碳鋼 STEEL	1	Ø30 +0 -0.1

G238

WEIGHT	128 g
SIZE	1" Semi-Integrated Threaded Headset
DIMENSIONS	Ø22.2x41.4/46x27(26.4)




堆積高度 (STACK HEIGHT) =25.2 ±1mm

NO.	零件名稱 PART NAME	材質 MATERIAL	台量 QTY	尺寸 DIM. DESCRIPTION
1	防水上迫緊 LOCK NUT WITH SEAL	碳鋼 STEEL	1	BC 1"x24T
2	有領華司 KEY WASHER	碳鋼 STEEL	1	1"
3	上蓋 ADJUSTING CONE	碳鋼 STEEL	1	BC 1"x24T
4	防塵蓋 DUST-RESISTANT COVER	塑膠 NYLON	1	
5	珠巢 BALL RETAINER	碳鋼 STEEL	2	5/32"x16
6	上下碗 CUPS	碳鋼 STEEL	2	Ø41.4 +0.15 -0
7	下防水圈 LOWER DUST-RESISTANT COVER	塑膠 NYLON	1	
8	下塞 CROWN RACE	碳鋼 STEEL	1	Ø27(Ø26.4) +0 -0

G239N

WEIGHT	153g
SIZE	1-1/8" Semi-Integrated Threaded Headset
DIMENSIONS	Ø25.4x44/50x30




堆積高度 (STACK HEIGHT) =25.5±1mm

NO.	零件名稱 PART NAME	材質 MATERIAL	台量 QTY	尺寸 DIM. DESCRIPTION
1	防水上迫緊 LOCK NUT WITH SEAL	碳鋼 STEEL	1	BC 1-1/8"x26T
2	有領華司 KEY WASHER	碳鋼 STEEL	1	1-1/8"
3	上蓋 ADJUSTING CONE	碳鋼 STEEL	1	BC 1-1/8"x26T
4	防塵蓋 DUST-RESISTANT COVER	塑膠 NYLON	1	
5	珠巢 BALL RETAINER	碳鋼 STEEL	2	5/32"x22
6	上下碗 CUPS	碳鋼 STEEL	2	Ø44 +0.15 -0
7	塑膠防塵蓋 DUST-RESISTANT COVER	塑膠 NYLON	1	
8	下塞 CROWN RACE	碳鋼 STEEL	1	Ø30 +0 -0.1

G238

WEIGHT	155g
SIZE	1-1/8" Semi-Integrated Threaded Headset
DIMENSIONS	Ø25.4 x 44/50 x 30



堆積高度 (STACK HEIGHT) =22.4±1mm

NO.	零件名稱 PART NAME	材質 MATERIAL	台量 QTY	尺寸 DIM. DESCRIPTION
1	防水上迫緊 LOCK NUT WITH SEAL	碳鋼 STEEL	1	BC 1-1/8"x26T
2	有領華司 KEY WASHER	碳鋼 STEEL	1	1-1/8"
3	上塞 ADJUSTING CONE	碳鋼 STEEL	1	BC 1-1/8"x26T
4	防水圈 RUBBER SEAL	橡膠 NBR	2	
5	珠巢 BALL RETAINER	碳鋼 STEEL	2	5/32"x22
6	上下碗 CUPS	碳鋼 STEEL	2	Ø44 ^{+0.15} ₋₀
7	下塞 CROWN RACE	碳鋼 STEEL	1	Ø30 ⁺⁰ _{-0.1}

G272L G272H

WEIGHT	H161L: 127g, H161H: 150g
SIZE	1" Semi-Integrated Threaded Headset
DIMENSIONS	Ø22.2x44/50x27(26.4)




堆積高度 (STACK HEIGHT) =23.7±1mm

NO.	零件名稱 PART NAME	材質 MATERIAL	台量 QTY	尺寸 DIM. DESCRIPTION
1	防水上迫緊 LOCK NUT WITH SEAL	鋁合金 ALLOY	1	BC 1"x24T
2	有領華司 KEY WASHER	碳鋼 STEEL	1	1"
3	鋁上塞 ADJUSTING CONE	鋁合金 ALLOY	1	BC1"x24T
4	防塵蓋 DUST-RESISTANT COVER	塑膠 NYLON	1	
5	半卡式碗 SEMI-CARTRIDGE STEEL CUPS	碳鋼 STEEL	2	Ø44 ^{+0.15} ₋₀
6	下塞 CROWN RACE	碳鋼 STEEL	1	Ø27(Ø26.4) ⁺⁰ _{-0.1}

G286

WEIGHT	159g
SIZE	1-1/8" Semi-Integrated Threaded Headset
DIMENSIONS	Ø25.4x44/50x30




堆積高度 (STACK HEIGHT) =24.2±1mm

NO.	零件名稱 PART NAME	材質 MATERIAL	台量 QTY	尺寸 DIM. DESCRIPTION
1	防水上迫緊 LOCK NUT WITH SEAL	碳鋼 STEEL	1	BC 1-1/8"x26T
2	有領華司 KEY WASHER	碳鋼 STEEL	1	1-1/8"
3	上塞 ADJUSTING CONE	碳鋼 STEEL	1	BC 1-1/8"x26T
4	防塵蓋 DUST-RESISTANT COVER	塑膠 NYLON	1	
5	半卡式碗 SEMI-CARTRIDGE STEEL CUPS	碳鋼 STEEL	2	Ø44 ^{+0.15} ₋₀
6	下塞 CROWN RACE	碳鋼 STEEL	1	Ø30 ⁺⁰ _{-0.1}

G295

WEIGHT	130g
SIZE	1-1/8" Semi-Integrated Threaded Headset
DIMENSIONS	Ø28.6x44/50x30




堆積高度 (STACK HEIGHT) =18±1mm

NO.	零件名稱 PART NAME	材質 MATERIAL	台量 QTY	尺寸 DIM. DESCRIPTION
1	鋁上迫緊 LOCK NUT	鋁合金 ALLOY	1	BC 1-1/8"x26T
2	有領華司 KEY WASHER	碳鋼 STEEL	1	1-1/8"
3	上塞 ADJUSTING CONE	碳鋼 STEEL	1	BC 1-1/8"x26T
4	珠巢 BALL RETAINER	碳鋼 STEEL	2	5/32"x22
5	上碗 UPPER CUP	碳鋼 STEEL	1	Ø44 ^{+0.15} ₋₀
6	下碗 LOWER CUP	碳鋼 STEEL	1	Ø44 ^{+0.15} ₋₀
7	塑膠防塵蓋 DUST-RESISTANT COVER	塑膠 NYLON	1	
8	下塞 CROWN RACE	碳鋼 STEEL	1	Ø30 ⁺⁰ _{-0.1}

G279

WEIGHT	100g
SIZE	1-1/8" Semi-Integrated Threaded Headset
DIMENSIONS	Ø25.4 x 44/50 x 30



堆積高度 (STACK HEIGHT) =23.6±1mm

NO.	零件名稱 PART NAME	材質 MATERIAL	台量 QTY	尺寸 DIM. DESCRIPTION
1	防水上迫緊 LOCK NUT WITH SEAL	鋁合金 ALLOY	1	BC 1-1/8"x26T
2	有領華司 KEY WASHER	碳鋼 STEEL	1	1-1/8"
3	鋁上塞 ADJUSTING CONE	鋁合金 ALLOY	1	BC 1-1/8"x26T
4	防塵蓋 DUST-RESISTANT COVER	塑膠 NYLON	1	
5	密封式軸承 A.C. SEALED BEARING	軸承鋼 SUJ2	2	OD41x36 "x45"
6	鋁碗 CUPS	鋁合金 ALLOY	2	Ø44 ^{+0.15} ₋₀
7	鋁下塞 CROWN RACE	鋁合金 ALLOY	1	Ø30 ⁺⁰ _{-0.1}

G282L G282H

WEIGHT	H171L: 136g, H171H: 151g
SIZE	1-1/8" Semi-Integrated Threaded Headset
DIMENSIONS	Ø25.4 x 44/50 x 30



堆積高度 (STACK HEIGHT) =23.7±1mm

NO.	零件名稱 PART NAME	材質 MATERIAL	台量 QTY	尺寸 DIM. DESCRIPTION
1	防水上迫緊 LOCK NUT WITH SEAL	鋁合金 ALLOY	1	BC 1-1/8"x26T
2	有領華司 KEY WASHER	碳鋼 STEEL	1	1-1/8"
3	鋁上塞 ADJUSTING CONE	鋁合金 ALLOY	1	BC 1-1/8"x26T
4	防塵蓋 DUST-RESISTANT COVER	塑膠 NYLON	1	
5	半卡式碗 SEMI-CARTRIDGE STEEL CUPS	碳鋼 STEEL	2	Ø44 ^{+0.15} ₋₀
6	下塞 CROWN RACE	碳鋼 STEEL	1	Ø30 ⁺⁰ _{-0.1}

G297

WEIGHT	130g
SIZE	1-1/8" Semi-Integrated Threaded Headset
DIMENSIONS	Ø25.4x44/50x30




堆積高度 (STACK HEIGHT) =17.7±1mm

NO.	零件名稱 PART NAME	材質 MATERIAL	台量 QTY	尺寸 DIM. DESCRIPTION
1	上迫緊 LOCK NUT	碳鋼 STEEL	1	BC 1-1/8"x26T
2	有領華司 KEY WASHER	碳鋼 STEEL	1	2xØD49.6
3	上塞 ADJUSTING CONE	碳鋼 STEEL	1	BC 1-1/8"x26T
4	珠巢 BALL RETAINER	碳鋼 STEEL	2	5/32"x22
5	上碗 UPPER CUP	碳鋼 STEEL	1	Ø44 ^{+0.15} ₋₀
6	下碗 LOWER CUP	碳鋼 STEEL	1	Ø44 ^{+0.15} ₋₀
7	塑膠防塵蓋 DUST-RESISTANT COVER	碳鋼 STEEL	1	
8	下塞 CROWN RACE	碳鋼 STEEL	1	Ø30 ⁺⁰ _{-0.1}

G262BW [1.5"]

WEIGHT	175g
SIZE	1-1/2" Threadless Headset
SHIS NORM	EC49.7/38.1 EC49.7/39.8




堆積高度 (STACK HEIGHT) =32 ±1mm

NO.	零件名稱 PART NAME	材質 MATERIAL	台量 QTY	尺寸 DIM. DESCRIPTION
1	O形圈 O-RING	橡膠 NBR	1	ID37.82xØ1.78
2	鋁上塞 TOP COVER	鋁合金 ALLOY	1	1.5"
3	鋁斜管 COMPRESSION RING	鋁合金 ALLOY	1	1.5"
4	特大型密封式軸承 OVERSIZE A.C. SEALED BEARING	軸承鋼 SUJ2	2	OD52x45 "x45"
5	上碗 UPPER CUP	鋁合金 ALLOY	1	Ø49.7 ^{+0.15} ₋₀
6	下碗 LOWER CUP	鋁合金 ALLOY	1	Ø49.7 ^{+0.15} ₋₀
7	鋁下塞 CROWN RACE	鋁合金 ALLOY	1	Ø39.8 ⁺⁰ _{-0.1}

G816PS

WEIGHT	120g
SIZE	1-1/8" Reduced To 1"
SHIS NORM	Threadless Steerer EC34/25.4 EC34/30




堆積高度 (STACK HEIGHT) =28.3 ±1mm

NO.	零件名稱 PART NAME	材質 MATERIAL	台量 QTY	尺寸 DIM. DESCRIPTION
1	O形圈 O-Ring	橡膠 NBR	1	ID25.3xO2
2	上塞 TOP COVER	鋁 ALLOY	1	1"
3	鋁斜管 COMPRESSION RING	鋁合金 ALLOY	1	1"
4	卡式碗 SEMI-CARTRIDGE CUPS	碳鋼 STEEL	2	Q34 ^{+0.15} ₋₀
5	下塞 CROWN RACE	碳鋼 STEEL	1	Q30 ⁺⁰ _{-0.1}

G817

Smart design that gives an integrated style-like look	
WEIGHT	95g
SIZE	1-1/8" Threadless Headset
SHIS NORM	EC34/28.6 EC34/30
OPTIONAL	H706M EC34/28.6 EC34/30 HEIGHT:35.6±1mm




堆積高度 (STACK HEIGHT) =28.6 ±1mm

NO.	零件名稱 PART NAME	材質 MATERIAL	台量 QTY	尺寸 DIM. DESCRIPTION
1	O形圈 O-Ring	橡膠 NBR	2	ID28.5xO2
2	鋁上塞 TOP COVER	鋁合金 ALLOY	1	1-1/8"
3	防塵蓋 DUST-RESISTANT COVER	塑膠 NYLON	1	
4	鋁卡式碗 SEMI-CARTRIDGE CUPS	鋁合金 ALLOY	2	Q34 ^{+0.15} ₋₀
5	下塞 CROWN RACE	碳鋼 STEEL	1	Q30 ⁺⁰ _{-0.1}

G884L

WEIGHT	151g
SIZE	1.5" Head Tube Reduced to 1-1/8"
SHIS NORM	Fork Tube External Cup Threadless Headset EC34/28.6 EC49.7/39.8(30)




堆積高度 (STACK HEIGHT) =30.4±1mm

NO.	零件名稱 PART NAME	材質 MATERIAL	台量 QTY	尺寸 DIM. DESCRIPTION
1	O形圈 O-Ring	橡膠 NBR	1	ID28.5xO2
2	鋁上塞 TOP COVER	鋁合金 ALLOY	1	1-1/8"
3	防塵蓋 DUST-RESISTANT COVER	橡膠 NBR	1	
4	鋁斜管 COMPRESSION RING	鋁合金 ALLOY	1	1-1/8"
5	密封式軸承 A.C. SEALED BEARING	軸承鋼 SUJ2	1	OD41.8x45 ^{±0.05}
6	上碗 UPPER CUP	鋁合金 ALLOY	1	Q34 ^{+0.15} ₋₀
7	下碗 LOWER CUP	鋁合金 ALLOY	1	Q49.7 ^{+0.15} ₋₀
8	特大型密封式軸承 OVER-SIZED A.C. SEALED BEARING	軸承鋼 SUJ2	1	OD52x45 ^{±0.05}
9	鋁下塞 CROWN RACE	鋁合金 ALLOY	1	Q39.8(Q30) ^{+0.1} _{-0.1}

G936

WEIGHT	114g
SIZE	1" Threadless Headset
SHIS NORM	EC30/25.4 EC30/27(26.4)




堆積高度 (STACK HEIGHT) =25 ±1mm

NO.	零件名稱 PART NAME	材質 MATERIAL	台量 QTY	尺寸 DIM. DESCRIPTION
1	墊片 SPACER	碳鋼 STEEL	1	2xOD32(17)
2	固定圈 COMPRESSION RING	橡膠 NBR	1	1"
3	上塞 TOP COVER	碳鋼 STEEL	1	1"
4	珠巢 BALL RETAINER	碳鋼 STEEL	2	5/32"x16
5	碗 CUPS	碳鋼 STEEL	2	Q30 ^{+0.15} ₋₀
6	防塵蓋 DUST-RESISTANT COVER	塑膠 NYLON	1	
7	下塞 CROWN RACE	碳鋼 STEEL	1	Q27(Q26.4) ⁺⁰ _{-0.1}

G822

WEIGHT	112g
SIZE	1-1/8" Threadless Headset
SHIS NORM	EC34/28.6 EC34/30




堆積高度 (STACK HEIGHT) =29 ±1mm

NO.	零件名稱 PART NAME	材質 MATERIAL	台量 QTY	尺寸 DIM. DESCRIPTION
1	O形圈 O-Ring	橡膠 NBR	1	ID28.5xO2
2	鋁上塞 TOP COVER	鋁合金 ALLOY	1	1-1/8"
3	防塵蓋 DUST-RESISTANT COVER	橡膠 NBR	1	
4	鋁斜管 COMPRESSION RING	鋁合金 ALLOY	1	1-1/8"
5	卡式軸承 CARTRIDGE BALL BEARING	鉻鉻鋼 CR-MO STEEL	2	OD41.8x45 ^{±0.05}
6	上碗 UPPER CUP	鋁合金 ALLOY	1	Q34 ^{+0.15} ₋₀
7	下碗 LOWER CUP	鋁合金 ALLOY	1	Q34 ^{+0.15} ₋₀
8	下塞 CROWN RACE	碳鋼 STEEL	1	Q30 ⁺⁰ _{-0.1}

G884

WEIGHT	102g
SIZE	1-1/8" Threadless Headset
SHIS NORM	EC34/28.6 EC34/30




堆積高度 (STACK HEIGHT) =29 ±1mm

NO.	零件名稱 PART NAME	材質 MATERIAL	台量 QTY	尺寸 DIM. DESCRIPTION
1	O形圈 O-Ring	橡膠 NBR	1	ID28.5xO2
2	鋁上塞 TOP COVER	鋁合金 ALLOY	1	1-1/8"
3	防塵蓋 DUST-RESISTANT COVER	橡膠 NBR	1	
4	鋁斜管 COMPRESSION RING	鋁合金 ALLOY	1	1-1/8"
5	密封式軸承 A.C. SEALED BEARING	軸承鋼 SUJ2	2	OD41.8x45 ^{±0.05}
6	上碗 UPPER CUP	鋁合金 ALLOY	1	Q34 ^{+0.15} ₋₀
7	下碗 LOWER CUP	鋁合金 ALLOY	1	Q34 ^{+0.15} ₋₀
8	鋁下塞 CROWN RACE	鋁合金 ALLOY	1	Q30 ⁺⁰ _{-0.1}

G938W

WEIGHT	102g
SIZE	1" Threadless Headset
SHIS NORM	EC30/25.4 EC30/27(26.4)




堆積高度 (STACK HEIGHT) =28.2±1mm

NO.	零件名稱 PART NAME	材質 MATERIAL	台量 QTY	尺寸 DIM. DESCRIPTION
1	墊片 SPACER	鋁合金 ALLOY	1	2xOD32(17)
2	固定圈 COMPRESSION RING	橡膠 NBR	1	1"
3	鋁上塞 TOP COVER	鋁合金 ALLOY	1	1"
4	珠巢 BALL RETAINER	碳鋼 STEEL	2	5/32"x20
5	防水圈 RUBBER SEAL	橡膠 NBR	2	
6	上管塞 UPPER CONE	碳鋼 STEEL	1	Q30 ^{+0.15} ₋₀
7	鋁下碗 LOWER CUP	鋁合金 ALLOY	1	Q30 ^{+0.15} ₋₀
8	下塞 CROWN RACE	碳鋼 STEEL	1	Q27(Q26.4) ⁺⁰ _{-0.1}

G956

WEIGHT	169g
SIZE	1-1/8" Threadless Headset
SHIS NORM	EC34/28.6 EC34/30




堆積高度 (STACK HEIGHT) =26.5±1mm

NO.	零件名稱 PART NAME	材質 MATERIAL	台量 QTY	尺寸 DIM. DESCRIPTION
1	墊片 SPACER	碳鋼 STEEL	1	2xOD36(1-1/8")
2	固定圈 COMPRESSION RING	橡膠 NBR	1	1-1/8"
3	上塞 TOP COVER	碳鋼 STEEL	1	1-1/8"
4	珠巢 BALL RETAINER	碳鋼 STEEL	2	5/32"x22
5	碗 CUPS	碳鋼 STEEL	2	Q34 ^{+0.15} ₋₀
6	防水圈 DUST-RESISTANT COVER	塑膠 NYLON	1	
7	下塞 CROWN RACE	碳鋼 STEEL	1	Q30 ⁺⁰ _{-0.1}

G957

WEIGHT	144g
SIZE	1-1/8" Threadless Headset
SHIS NORM	EC34/28.6 EC34/30




堆積高度 (STACK HEIGHT) =25±1mm

NO.	零件名稱 PART NAME	材質 MATERIAL	台量 QTY	尺寸 DIM. DESCRIPTION
1	墊片 SPACER	碳鋼 STEEL	1	2xOD36(1-1/8")
2	固定圈 COMPRESSING RING	橡膠 NBR	1	1-1/8"
3	上蓋 TOP COVER	碳鋼 STEEL	1	1-1/8"
4	珠巢 BALL RETAINER	碳鋼 STEEL	2	5/32"x22
5	碗 CUPS	碳鋼 STEEL	2	Ø34 +0.15 -0
6	防水圈 DUST-RESISTANT COVER	塑膠 NYLON	1	
7	下蓋 CROWN RACE	碳鋼 STEEL	1	Ø30 +0 -0.1

G958W

WEIGHT	125g
SIZE	1-1/8" Threadless Headset
SHIS NORM	EC34/28.6 EC34/30




堆積高度 (STACK HEIGHT) =31±1mm

NO.	零件名稱 PART NAME	材質 MATERIAL	台量 QTY	尺寸 DIM. DESCRIPTION
1	墊片 SPACER	鋁合金 ALLOY	1	2xOD32(1")
2	固定圈 COMPRESSING RING	橡膠 NBR	1	1"
3	鉛上蓋 TOP COVER	鋁合金 ALLOY	1	1"
4	珠巢 BALL RETAINER	碳鋼 STEEL	2	5/32"x22
5	防水圈 RUBBER SEAL	橡膠 NBR	2	
6	上管塞 UPPER CONE	碳鋼 STEEL	1	Ø34 +0.15 -0
7	鉛下碗 LOWER CUP	鋁合金 ALLOY	1	Ø34 +0.15 -0
8	下蓋 CROWN RACE	碳鋼 STEEL	1	Ø30 +0 -0.1

G966 G937

WEIGHT	163g
SIZE	1-1/8" Threadless Headset
SHIS NORM	EC34/28.6 EC34/30
OPTIONAL	H826 EC30/25.4 EC30/27(26.4) STACK HEIGHT=25.6mm




堆積高度 (STACK HEIGHT) =28.4±1mm

NO.	零件名稱 PART NAME	材質 MATERIAL	台量 QTY	尺寸 DIM. DESCRIPTION
1	墊片 SPACER	碳鋼 STEEL	1	2xOD36
2	固定圈 COMPRESSING RING	橡膠 NBR	1	1-1/8"
3	上蓋 TOP COVER	碳鋼 STEEL	1	1-1/8"
4	珠巢 BALL RETAINER	碳鋼 STEEL	1	5/32"x22
5	上碗 UPPER CUP	碳鋼 STEEL	1	Ø34 +0.15 -0
6	下碗 LOWER CUP	碳鋼 STEEL	1	Ø34 +0.15 -0
7	條珠珠巢 NEEDLE BEARING	碳鋼 STEEL	1	Ø2.5x22
8	防水圈 RUBBER SEAL	橡膠 NBR	1	
9	下蓋 CROWN RACE	碳鋼 STEEL	1	Ø30 +0 -0.1

G978EW G347EW

WEIGHT	127g
SIZE	1-1/8" Threadless Headset
SHIS NORM	EC34/28.6 EC34/30
OPTIONAL	H236EW EC30/25.4 EC30/27(26.4) STACK HEIGHT=28.2mm




堆積高度 (STACK HEIGHT) =28±1mm

NO.	零件名稱 PART NAME	材質 MATERIAL	台量 QTY	尺寸 DIM. DESCRIPTION
1	墊片 SPACER	鋁合金 ALLOY	1	2xOD36(1-1/8")
2	固定圈 COMPRESSING RING	橡膠 NBR	1	1-1/8"
3	鉛上蓋 TOP COVER	鋁合金 ALLOY	1	1-1/8"
4	珠巢 BALL RETAINER	碳鋼 STEEL	2	5/32"x22
5	碗 CUPS	碳鋼 STEEL	2	Ø34 +0.15 -0
6	防水圈 DUST-RESISTANT COVER	塑膠 NYLON	1	
7	下蓋 CROWN RACE	碳鋼 STEEL	1	Ø30 +0 -0.1

G962

WEIGHT	105g
SIZE	1-1/8" Threadless Headset
SHIS NORM	EC34/28.6 EC34/30




堆積高度 (STACK HEIGHT) =22±1mm

NO.	零件名稱 PART NAME	材質 MATERIAL	台量 QTY	尺寸 DIM. DESCRIPTION
1	塑膠斜管 COMPRESSION RING	塑膠 NYLON	1	1-1/8"
2	上蓋 TOP COVER	碳鋼 STEEL	1	1-1/8"
3	防水圈 DUST-RESISTANT COVER	塑膠 NYLON	2	
4	珠巢 BALL RETAINER	碳鋼 STEEL	2	5/32"x22
5	碗 CUPS	碳鋼 STEEL	2	Ø34 +0.15 -0
6	下蓋 CROWN RACE	碳鋼 STEEL	1	Ø30 +0 -0.1

G965

WEIGHT	120g
SIZE	1-1/8" Threadless Headset
SHIS NORM	EC34/28.6 EC34/30




堆積高度 (STACK HEIGHT) =25±1mm

NO.	零件名稱 PART NAME	材質 MATERIAL	台量 QTY	尺寸 DIM. DESCRIPTION
1	塑膠斜管 COMPRESSION RING	塑膠 NYLON	1	1-1/8"
2	上蓋 TOP COVER	碳鋼 STEEL	1	1-1/8"
3	珠巢 BALL RETAINER	碳鋼 STEEL	2	5/32"x22
4	碗 CUPS	碳鋼 STEEL	2	Ø34 +0.15 -0
5	防水圈 DUST-RESISTANT COVER	塑膠 NYLON	1	
6	下蓋 CROWN RACE	碳鋼 STEEL	1	Ø30 +0 -0.1

G989

WEIGHT	142g
SIZE	1-1/8" Threadless Headset
SHIS NORM	EC34/28.6 EC34/30




堆積高度 (STACK HEIGHT) =26.5±1mm

NO.	零件名稱 PART NAME	材質 MATERIAL	台量 QTY	尺寸 DIM. DESCRIPTION
1	斜管 COMPRESSION RING	鋁合金 ALLOY	1	1-1/8"
2	上蓋 TOP COVER	碳鋼 STEEL	1	1-1/8"
3	防塵蓋 DUST-RESISTANT COVER	塑膠 NYLON	1	
4	珠巢 BALL RETAINER	碳鋼 STEEL	2	5/32"x22
5	碗 CUPS	碳鋼 STEEL	2	Ø34 +0.15 -0
6	防水圈 LOWER DUST-RESISTANT COVER	塑膠 NYLON	1	
7	下蓋 CROWN RACE	碳鋼 STEEL	1	Ø30 +0 -0.1

G988

WEIGHT	180g
SIZE	1-1/8" Threadless Headset
SHIS NORM	EC34/28.6 EC34/30




堆積高度 (STACK HEIGHT) =30.4±1mm

NO.	零件名稱 PART NAME	材質 MATERIAL	台量 QTY	尺寸 DIM. DESCRIPTION
1	斜管 COMPRESSION RING	鋁合金 ALLOY	1	1-1/8"
2	上蓋 TOP COVER	碳鋼 STEEL	1	1-1/8"
3	防塵蓋 DUST-RESISTANT COVER	塑膠 NYLON	1	
4	珠巢 BALL RETAINER	碳鋼 STEEL	1	5/32"x22
5	上碗 UPPER CUP	碳鋼 STEEL	1	Ø34 +0.15 -0
6	下碗 LOWER CUP	碳鋼 STEEL	1	Ø34 +0.15 -0
7	珠巢 BALL RETAINER	碳鋼 STEEL	1	1/4"x158
8	防水圈 LOWER DUST-RESISTANT COVER	塑膠 NYLON		
9	下蓋 CROWN RACE	碳鋼 STEEL	1	Ø30 +0 -0.1

G241
130 ° 1"
SAFETY
HEADSET



WEIGHT	127g
SIZE	1" Threaded Safety Headset
DIMENSIONS	Ø22.2x30x27




堆積高度(STACK HEIGHT)=34.5±1mm

NO.	零件名稱 PART NAME	材質 MATERIAL	台量 QTY	尺寸 DIM. DESCRIPTION
1	上迫緊 LOCK NUT	碳鋼 STEEL	1	BC 1"x24T
2	有領華司 KEY WASHER	碳鋼 STEEL	1	3xOD34(1")
3	上塞 ADJUSTING CONE	碳鋼 STEEL	1	BC 1"x24T
4	珠巢 BALL RETAINER	碳鋼 STEEL	2	5/32"x16
5	上碗 UPPER CUP	碳鋼 STEEL	1	Ø30 ^{+0.15} ₋₀
6	安全下碗 LOWER SAFETY CUP	碳鋼 STEEL	1	Ø30 ^{+0.15} ₋₀
7	安全下塞 CROWN RACE	碳鋼 STEEL	1	Ø27 ⁺⁰ _{-0.1}

G245
130 ° 1"
SAFETY
HEADSET



WEIGHT	116g
SIZE	1" Threadless Headset
SHIS NORM	EC30/25.4 EC30/27




堆積高度(STACK HEIGHT)=25.5±1mm

NO.	零件名稱 PART NAME	材質 MATERIAL	台量 QTY	尺寸 DIM. DESCRIPTION
1	墊片 SPACER	碳鋼 STEEL	1	2xOD32(1")
2	固定圈 COMPRESSING RING	橡膠 NBR	1	1"
3	上塞 TOP CONE	碳鋼 STEEL	1	1"
4	珠巢 BALL RETAINER	碳鋼 STEEL	2	5/32"x16
5	上碗 UPPER CUP	碳鋼 STEEL	1	Ø30 ^{+0.15} ₋₀
6	安全下碗 LOWER SAFETY CUP	碳鋼 STEEL	1	Ø30 ^{+0.15} ₋₀
7	安全下塞 CROWN RACE	碳鋼 STEEL	1	Ø27 ⁺⁰ _{-0.1}

G251
130 ° 1-1/8"
SAFETY
HEADSET




WEIGHT	164g
SIZE	1-1/8" Threaded Safety Headset
DIMENSIONS	Ø25.4x34x30



堆積高度(STACK HEIGHT)=38.5±1mm

NO.	零件名稱 PART NAME	材質 MATERIAL	台量 QTY	尺寸 DIM. DESCRIPTION
1	上迫緊 LOCK NUT	碳鋼 STEEL	1	BC 1-1/8"x26T
2	有領華司 KEY WASHER	碳鋼 STEEL	1	2xOD34(1-1/8")
3	上塞 ADJUSTING CONE	碳鋼 STEEL	1	BC 1-1/8"x26T
4	珠巢 BALL RETAINER	碳鋼 STEEL	2	5/32"x22
5	上碗 UPPER CUP	碳鋼 STEEL	1	Ø34 ^{+0.15} ₋₀
6	安全下碗 LOWER SAFETY CUP	碳鋼 STEEL	1	Ø34 ^{+0.15} ₋₀
7	安全下塞 CROWN RACE	碳鋼 STEEL	1	Ø30 ⁺⁰ _{-0.1}

G239-241
130 ° 1-1/8"
SAFETY
SEMI-INTEGRATED
HEADSET




堆積高度 (STACK HEIGHT) =26.5±1mm

NO.	零件名稱 PART NAME	材質 MATERIAL	台量 QTY	尺寸 DIM. DESCRIPTION
1	防水上迫緊 LUCK NUT WITH SEAL	碳鋼 STEEL	1	BC 1-1/8"x26T
2	有領華司 KEY WASHER	碳鋼 STEEL	1	2xOD34(1-1/8")
3	上塞 ADJUSTING CONE	碳鋼 STEEL	1	BC 1-1/8"x26T
4	防塵蓋 DUST RESISTANT COVER	塑膠 NYLON	1	
5	珠巢 BALL RETAINER	碳鋼 STEEL	2	5/32"x22
6	上碗 UPPER CUP	碳鋼 STEEL	1	Ø44 ^{+0.15} ₋₀
7	安全下碗 LOWER SAFETY CUP	碳鋼 STEEL	1	Ø44 ^{+0.15} ₋₀
8	安全下塞 CROWN RACE	碳鋼 STEEL	1	Ø30 ⁺⁰ _{-0.1}

G246
130 ° 1-1/8"
SAFETY
HEADSET



WEIGHT	142g
SIZE	1-1/8" Threadless Safety Headset
SHIS NORM	EC34/28.6 EC34/30




堆積高度(STACK HEIGHT)=27.5±1mm

NO.	零件名稱 PART NAME	材質 MATERIAL	台量 QTY	尺寸 DIM. DESCRIPTION
1	墊片 SPACER	碳鋼 STEEL	1	2xOD36(1-1/8")
2	固定圈 COMPRESSING RING	橡膠 NBR	1	1-1/8"
3	上塞 TOP CONE	碳鋼 STEEL	1	1-1/8"
4	珠巢 BALL RETAINER	碳鋼 STEEL	2	5/32"x22
5	上碗 UPPER CUP	碳鋼 STEEL	1	Ø34 ^{+0.15} ₋₀
6	安全下碗 LOWER SAFETY CUP	碳鋼 STEEL	1	Ø34 ^{+0.15} ₋₀
7	安全下塞 CROWN RACE	碳鋼 STEEL	1	Ø30 ⁺⁰ _{-0.1}

G248
130 ° 1"
SAFETY
HEADSET



WEIGHT	136g
SIZE	1" Threaded Safety Headset
DIMENSIONS	Ø22.2x30x27




堆積高度(STACK HEIGHT)=37±1mm

NO.	零件名稱 PART NAME	材質 MATERIAL	台量 QTY	尺寸 DIM. DESCRIPTION
1	上迫緊 LOCK NUT	碳鋼 STEEL	1	BC 1"x24T
2	有領華司 KEY WASHER	碳鋼 STEEL	1	2xOD36(1-1/8")
3	上塞 ADJUSTING CONE	碳鋼 STEEL	1	BC 1"x24T
4	珠巢 BALL RETAINER	碳鋼 STEEL	2	5/32"x16
5	上碗 UPPER CUP	碳鋼 STEEL	1	Ø30 ^{+0.15} ₋₀
6	安全下碗 LOWER SAFETY CUP	碳鋼 STEEL	1	Ø30 ^{+0.15} ₋₀
7	安全下塞 CROWN RACE	碳鋼 STEEL	1	Ø27 ⁺⁰ _{-0.1}

G239-241S
130 ° 1-1/8"
SAFETY
SEMI-INTEGRATED
HEADSET





WEIGHT	164.8g
SIZE	1-1/8" Semi-integrated Threaded Safety Headset
DIMENSIONS	Ø25.4x44/50x30



堆積高度 (STACK HEIGHT) =26.5±1mm

NO.	零件名稱 PART NAME	材質 MATERIAL	台量 QTY	尺寸 DIM. DESCRIPTION
1	防水上迫緊 LUCK NUT WITH SEAL	碳鋼 STEEL	1	BC 1-1/8"x26T
2	有領華司 KEY WASHER	碳鋼 STEEL	1	2xOD34(1-1/8")
3	上塞 ADJUSTING CONE	碳鋼 STEEL	1	BC 1-1/8"x26T
4	防塵蓋 DUST RESISTANT COVER	塑膠 NYLON	1	
5	珠巢 BALL RETAINER	碳鋼 STEEL	2	5/32"x22
6	上碗 UPPER CUP	碳鋼 STEEL	1	Ø44 ^{+0.15} ₋₀
7	安全下碗 SAFETY LOWER CUP(130 °)	碳鋼 STEEL	1	Ø44.2 ⁺⁰ _{-0.1}
8	安全下塞 SAFETY CROWN RACE(130 °)	碳鋼 STEEL	1	Ø30 ⁺⁰ _{-0.1}

G257-241S
130 ° 1-1/8"
SAFETY
SEMI-INTEGRATED
HEADSET





堆積高度 (STACK HEIGHT) =12.9±1mm

NO.	零件名稱 PART NAME	材質 MATERIAL	台量 QTY	尺寸 DIM. DESCRIPTION
1	O形圈 O-Ring	橡膠 NBR	1	ID28.5xØ2
2	上塞 TOP COVER	鋁合金 ALLOY	1	1-1/8"
3	防塵蓋 DUST RESISTANT COVER	橡膠 NBR	1	
4	鋁斜管 COMPRESSION RING	鋁合金 ALLOY	1	1-1/8"
5	密封軸承 AC BEARER	軸承鋼 SUJ2	2	OD41x36 "x45 °
6	上碗 UPPER CUP	鋁合金 ALLOY	1	Ø44 ^{+0.15} ₋₀
7	安全下碗 SAFETY LOWER CUP(130 °)	碳鋼 STEEL	1	Ø44.2 ⁺⁰ _{-0.1}
8	安全下塞 SAFETY CROWN RACE(130 °)	碳鋼 STEEL	1	Ø30 ⁺⁰ _{-0.1}

G259-241

WEIGHT	100.8g
SIZE	1-1/8" Semi-Integrated Threadless Safety Headset
SHIS NORM	ZS44/28.6 ZS44/30

130° 1-1/8" SAFETY SEMI-INTEGRATED HEADSET




堆積高度(STACK HEIGHT)=11.6±1mm

NO.	零件名稱 PART NAME	材質 MATERIAL	台量 QTY	尺寸 DIM. DESCRIPTION
1	O形圈 O-RING	橡膠 NBR	1	ID28.5xOD2
2	上蓋 TOP COVER	鋁合金 ALLOY	1	1-1/8"
3	防塵蓋 DUST-RESISTANT COVER	塑膠 NYLON	1	
4	塑膠斜管 COMPRESSION RING	塑膠 NYLON	1	1-1/8"
5	卡式碗 CARTRIDGE STEEL CUP	碳鋼 STEEL	1	Ø44 ^{+0.15} ₋₀
6	卡式安全下碗 CARTRIDGE SAFETY CUP	碳鋼 STEEL	1	Ø44 ^{+0.15} ₋₀
7	安全下蓋 CROWN RACE	碳鋼 STEEL	1	Ø30 ⁺⁰ _{-0.1}

G342

WEIGHT	116.5g
SIZE	1-1/8" x 26T
DIMENSIONS	Ø28.6x34x30




堆積高度 (STACK HEIGHT) =34±1mm

NO.	零件名稱 PART NAME	材質 MATERIAL	台量 QTY	尺寸 DIM. DESCRIPTION
1	二缺牙環 LOCKING RING	碳鋼 STEEL	2	BC 1-1/8"x26T
2	有領華司 KEY WASHER	碳鋼 STEEL	1	2xOD34(1-1/8")
3	上蓋 TOP COVER	鋁合金 ALLOY	1	1-1/8"
4	鋁斜管 COMPRESSION RING	鋁合金 ALLOY	1	1-1/8"
5	卡式碗 CARTRIDGE STEEL CUPS	碳鋼 STEEL	2	Ø34 ^{+0.15} ₋₀
6	下蓋 CROWN RACE	碳鋼 STEEL	1	Ø30 ⁺⁰ _{-0.1}

G828

WEIGHT	116g
SIZE	1-1/8"x26T
DIMENSIONS	Ø25.4x34x30




堆積高度(STACK HEIGHT)=40.5±1mm

NO.	零件名稱 PART NAME	材質 MATERIAL	台量 QTY	尺寸 DIM. DESCRIPTION
1	防水上迫緊 LOCK NUT WITH SEAL	鋁合金 ALLOY	1	BC 1-1/8"x26T
2	有領華司 KEY WASHER	碳鋼 STEEL	1	2xOD34(1-1/8")
3	鋁上蓋 ADJUSTING CONE	鋁合金 ALLOY	1	BC 1-1/8"x26T
4	防塵蓋 RUBBER SEAL	橡膠 NBR	1	
5	密封式軸承 A.C. SEALED BEARING	軸承鋼 SUJ2	2	OD41.8x45 ⁺⁰ _{-0.1} x45 ⁺⁰ _{-0.1}
6	鋁上碗 UPPER CUP	鋁合金 ALLOY	1	Ø34 ^{+0.15} ₋₀
7	鋁下碗 LOWER CUP	鋁合金 ALLOY	1	Ø34 ^{+0.15} ₋₀
8	鋁下蓋 CROWN RACE	鋁合金 ALLOY	1	Ø30 ⁺⁰ _{-0.1}

G882

WEIGHT	120g
SIZE	1-1/8"x26T
DIMENSIONS	Ø25.4x34x30




堆積高度(STACK HEIGHT)=40.8±1mm

NO.	零件名稱 PART NAME	材質 MATERIAL	台量 QTY	尺寸 DIM. DESCRIPTION
1	防水防上迫緊 LOCK NUT WITH SEAL	鋁合金 ALLOY	1	BC 1-1/8"x26T
2	有領華司 KEY WASHER	碳鋼 STEEL	1	2xOD34(1-1/8")
3	鋁上蓋 ADJUSTING CONE	鋁合金 ALLOY	1	BC 1-1/8"x26T
4	防塵蓋 DUST-RESISTANT COVER	橡膠 NBR	1	
5	卡式軸承 CARTRIDGE BALL BEARING	鈹鉻鋼 CR-MO STEEL	2	OD41.8x45 ⁺⁰ _{-0.1} x45 ⁺⁰ _{-0.1}
6	鋁上碗 UPPER CUP	鋁合金 ALLOY	1	Ø34 ^{+0.15} ₋₀
7	鋁下碗 LOWER CUP	鋁合金 ALLOY	1	Ø34 ^{+0.15} ₋₀
8	下蓋 CROWN RACE	碳鋼 STEEL	1	Ø30 ⁺⁰ _{-0.1}

G728

WEIGHT	101.8g
SIZE	1"x24T
DIMENSIONS	Ø22.2x30x27(26.4)




堆積高度(STACK HEIGHT)=40.5±1mm

NO.	零件名稱 PART NAME	材質 MATERIAL	台量 QTY	尺寸 DIM. DESCRIPTION
1	防水上迫緊 LOCK NUT WITH SEAL	鋁合金 ALLOY	1	BC 1"x24T
2	有領華司 KEY WASHER	碳鋼 STEEL	1	2xOD30
3	鋁上蓋 ADJUSTING CONE	鋁合金 ALLOY	1	BC 1"x24T
4	防塵蓋 RUBBER SEAL	橡膠 NBR	1	
5	密封式軸承 A.C. SEALED BEARING	軸承鋼 SUJ2	2	OD41.8x45 ⁺⁰ _{-0.1} x45 ⁺⁰ _{-0.1}
6	鋁上碗 UPPER CUP	鋁合金 ALLOY	1	Ø30 (Ø30.2) ^{+0.15} ₋₀
7	鋁下碗 LOWER CUP	鋁合金 ALLOY	1	Ø30 (Ø30.2) ^{+0.15} ₋₀
8	鋁下蓋 CROWN RACE	鋁合金 ALLOY	1	Ø27 (Ø26.4) ⁺⁰ _{-0.1}

G782

WEIGHT	117g
SIZE	1"x24T
DIMENSIONS	Ø22.2x30x27(26.4)




堆積高度(STACK HEIGHT)=40.5±1mm

NO.	零件名稱 PART NAME	材質 MATERIAL	台量 QTY	尺寸 DIM. DESCRIPTION
1	防水上迫緊 LOCK NUT WITH SEAL	鋁合金 ALLOY	1	BC 1"x24T
2	有領華司 KEY WASHER	碳鋼 STEEL	1	2xOD30
3	鋁上蓋 ADJUSTING CONE	鋁合金 ALLOY	1	BC 1"x24T
4	防塵蓋 RUBBER SEAL	橡膠 NBR	1	
5	卡式軸承 CARTRIDGE BALL BEARING	鈹鉻鋼 CR-MO STEEL	2	OD41.8x45 ⁺⁰ _{-0.1} x45 ⁺⁰ _{-0.1}
6	鋁上碗 UPPER CUP	鋁合金 ALLOY	1	Ø30 (Ø30.2) ^{+0.15} ₋₀
7	鋁下碗 LOWER CUP	鋁合金 ALLOY	1	Ø30 (Ø30.2) ^{+0.15} ₋₀
8	下蓋 CROWN RACE	碳鋼 STEEL	1	Ø27 (Ø26.4) ⁺⁰ _{-0.1}

G911K

WEIGHT	123g
SIZE	1"x24T
DIMENSIONS	Ø22.2x30x27(26.4)
OPTIONAL	H800D Plain Washer H800T Threaded Washer H800C Semi-Cartridge Cups




堆積高度(STACK HEIGHT)=34.3±1mm

NO.	零件名稱 PART NAME	材質 MATERIAL	台量 QTY	尺寸 DIM. DESCRIPTION
1	上迫緊 LOCK NUT	碳鋼 STEEL	1	BC 1"x24T
2	有領華司 KEY WASHER	碳鋼 STEEL	1	3xOD34
3	上蓋 ADJUSTING CONE	碳鋼 STEEL	1	BC 1"x24T
4	珠巢 BALL RETAINER	碳鋼 STEEL	2	5/32"x16
5	上碗 UPPER CUP	碳鋼 STEEL	1	Ø30 ^{+0.15} ₋₀
6	下碗 LOWER CUP	碳鋼 STEEL	1	Ø30 ^{+0.15} ₋₀
7	下蓋 CROWN RACE	碳鋼 STEEL	1	Ø27 (Ø26.4) ⁺⁰ _{-0.1}

G910K

WEIGHT	139g
SIZE	1"x24T
DIMENSIONS	Ø22.2x30x27(26.4)




堆積高度(STACK HEIGHT)=36±1mm

NO.	零件名稱 PART NAME	材質 MATERIAL	台量 QTY	尺寸 DIM. DESCRIPTION
1	上迫緊 LOCK NUT	碳鋼 STEEL	1	BC 1"x24T
2	有領華司 KEY WASHER	碳鋼 STEEL	1	3xOD34
3	上蓋 ADJUSTING CONE	碳鋼 STEEL	1	BC 1"x24T
4	珠巢 BALL RETAINER	碳鋼 STEEL	2	5/32"x16
5	上碗 UPPER CUP	碳鋼 STEEL	1	Ø30 ^{+0.15} ₋₀
6	下碗 LOWER CUP	碳鋼 STEEL	1	Ø30 ^{+0.15} ₋₀
7	下蓋 CROWN RACE	碳鋼 STEEL	1	Ø27 (Ø26.4) ⁺⁰ _{-0.1}

G913AK

WEIGHT	150g
SIZE	1"x24T
DIMENSIONS	Ø21.1x32.5x27




堆積高度(STACK HEIGHT)= 36 ± 1 mm

NO.	零件名称 PART NAME	材质 MATERIAL	台量 QTY	尺寸 DIM DESCRIPTION
1	上泊緊 LOCK NUT	碳鋼 STEEL	1	BC 1"x24T
2	有領華司 KEY WASHER	碳鋼 STEEL	1	3xOD34
3	上蓋 ADJUSTING CONE	碳鋼 STEEL	1	BC 1"x24T
4	珠環 BALL RETAINER	碳鋼 STEEL	2	3/16"x15
5	碗 CLIP	碳鋼 STEEL	2	Ø32.5 ^{+0.15} _{-0.1}
6	下蓋 CROWN RACE	碳鋼 STEEL	1	Ø27 ⁺⁰ _{-0.1}

G917

WEIGHT	144.7g
SIZE	1"x24T
DIMENSIONS	Ø22.2x30x27(26.4)




堆積高度(STACK HEIGHT)=35±1mm

NO.	零件名稱 PART NAME	材質 MATERIAL	台量 QTY	尺寸 DIM. DESCRIPTION
1	上鎖緊 LOCK NUT	碳鋼 STEEL	1	BC 1X24T
2	扣齒華司 WASHER	碳鋼 STEEL	1	3(1)
3	扣齒上蓋 ADJUSTING CONE	碳鋼 STEEL	1	BC 1X24T
4	珠夾 BALL RETAINER	碳鋼 STEEL	2	5/32"x16
5	上碗 UPPER CUP	碳鋼 STEEL	1	Ø30 ^{+0.15} ₋₀
6	下碗 LOWER CUP	碳鋼 STEEL	1	Ø30 ^{+0.15} ₋₀
7	下蓋 CROWN RACE	碳鋼 STEEL	1	Ø27 (Ø26.4) _{-0.1} ⁺⁰

G942

WEIGHT	134g
SIZE	1"x24T
DIMENSIONS	Ø22.2x30x27(26.4)




堆積高度(STACK HEIGHT)=36.5±1mm

NO.	零件名稱 PART NAME	材質 MATERIAL	台數 QTY	尺寸 DIM. DESCRIPTION
1	上鎖緊 LOCK NUT	碳鋼 STEEL	1	BC 1"x24T
2	有鎖華司 KEY WASHER	碳鋼 STEEL	1	2bxD30(1")
3	上蓋 ADJUSTING CONE	碳鋼 STEEL	1	BC 1"x24T
4	珠珠 BALL RETAINER	碳鋼 STEEL	2	5/32"x16
5	上碗 UPPER CUP	碳鋼 STEEL	1	Ø30 $\frac{0}{-0.15}$
6	下碗 LOWER CUP	碳鋼 STEEL	1	Ø30 $\frac{0}{-0.15}$
7	下蓋 CROWN RACE	碳鋼 STEEL	1	Ø27 (Ø26.4) $\frac{0}{-0.1}$

G942CW

WEIGHT	140.1g
SIZE	1"x24T
DIMENSIONS	Ø22.2x30x27(26.4)




堆積高度(STACK HEIGHT)=36.5±1mm

NO	零件名稱 PART NAME	材質 MATERIAL	台量 QTY	尺寸 DIM. DESCRIPTION
1	防水上迫緊 LOCK NUT WITH SEAL	碳鋼 STEEL	1	BC 1x24T
2	有領華司 KEY WASHER	碳鋼 STEEL	1	2xOD30(1")
3	上塞 ADJUSTING CONE	碳鋼 STEEL	1	BC 1x24T
4	半卡式碗 SEMI-CARTRIDGE STEEL CUP	碳鋼 STEEL	2	Ø30 ^{+0.15} _{-0.1}
5	下塞 CROWN RACE	碳鋼 STEEL	1	Ø27 (Ø26.4) ^{+0.1} _{-0.1}

G918W

WEIGHT	115g
SIZE	1"x24T
DIMENSIONS	Ø22.2x30x27(26.4)




堆積高度(STACK HEIGHT)= 39.5 ± 1 mm

NO.	零件名稱 PARTIAL	材質 MATERIAL	台量 QTY	尺寸 DIM. (DESCRIPTION)
1	防水上油蓋 LOCK NUT WITH SEAL	鋁合金 ALLOY	1	BC 1"x24"
2	有領華司 KEY WASHER	碳鋼 STEEL	1	2x0D30(1")
3	鋁上蓋 ALUMINUM COVER	鋁合金 ALLOY	1	BC 1"x24"
4	調整蓋 BALL RETAINER	碳鋼 STEEL	2	5/32"x20
5	防水圈 RUBBER SEAL	橡膠 NBR	2	
6	上管塞 UPPER COE	碳鋼 STEEL	1	0.30" $\pm$ 0.15 0
7	鋁下碗 LOWER CUP	鋁合金 ALLOY	1	0.30" $\pm$ 0.15 0
8	下蓋 CROWN RACE	碳鋼 STEEL	1	0.27" (0.26, 4) $\pm$ 0.1 0

G918W

WEIGHT	145g
SIZE	1-1/8"x26T
DIMENSIONS	Ø25.4x34x30




堆積高度(STACK HEIGHT)=43±1mm

NO.	零件名稱 PART NAME	材質 MATERIAL	台量 QTY.	尺寸 DIM. DESCRIPTION
1	LOOK UP 上扣緊 LOCK UP WITH SEAL	鋁合金 ALLOY	1	BC 1-1/8"×2ET
2	有鎖頸圈 KEY WASHER	硬鋼 STEEL	1	2xOD34(1-1/8")
3	上蓋 ADJUSTING CONE	鋁合金 ALLOY	1	BC 1-1/8"×2ET
4	珠架 BALL RETAINER	硬鋼 STEEL	2	5/32"×22
5	防水圈 RUBBER SEAL	橡膠 NBR	2	
6	上蓋圈 UPPER CONE	硬鋼 STEEL	1	034 ^{+0.15} _{-0.2}
7	鋁合金下蓋 LOWER ALUM. CUP	鋁合金 ALLOY	1	034 ^{+0.15} _{-0.2}
8	下蓋 CROWN RACE	硬鋼 STEEL	1	034 ^{+0.15} _{-0.2}

G942SW

WEIGHT	134g
SIZE	1"x24T
DIMENSIONS	Ø22.2x30x27(26.4)




堆積高度(STACK HEIGHT)= 36.5 ± 1 mm

NO.	零件名稱 PART NAME	材質 MATERIAL	台量 QTY	尺寸 DIM. DESCRIPTION
1	防水上封緊 LOCK W/UP SEAL	硬鋼 STEEL	1	BC 1"x24T
2	有領華司 KEY WASHER	硬鋼 STEEL	1	2x0D30(1")
3	上塞 ADJUSTING CONE	硬鋼 STEEL	1	BC 1"x24T
4	珠環 BALL RETAINER	硬鋼 STEEL	2	5/32"x16
5	上碗 UPPER CUP	硬鋼 STEEL	1	Ø30 ^{+0.15} ₋₀
6	下碗 LOWER CUP	硬鋼 STEEL	1	Ø30 ^{+0.15} ₋₀
7	防水圈 DUST RESISTANT COVER	塑膠 NYLON	1	
8	下蓋 CROWN RACE	硬鋼 STEEL	1	Ø27 (Ø26.4) ⁺⁰ _{-0.05}

G944K

WEIGHT	127.8g
SIZE	1-1/8" Head Tube Reduced to 1" Fork Tube Threaded Headset
DIMENSIONS	Ø22.2x34x27(26.4)




堆積高度(STACK HEIGHT)=33.5±1mm

NO.	零件名稱 PART NAME	材質 MATERIAL	台量 QTY	尺寸 DIM. DESCRIPTION
1	上迫緊 LOCK NUT	碳鋼 STEEL	1	BC 1"x24T
2	有鎖華司 KEY WASHER	碳鋼 STEEL	1	3x0D34(1")
	上蓋 ADJUSTING CONE	碳鋼 STEEL	1	BC 1"x24T
	珠嵐 BALL RETAINER	碳鋼 STEEL	2	5/32"x16
5	上碗 UPPER CUP	碳鋼 STEEL	1	034 $\frac{1}{8}$ " ¹⁰
	下碗 LOWER CUP	碳鋼 STEEL	1	034 $\frac{1}{8}$ " ¹⁰
	下蓋 CROWN RACE	碳鋼 STEEL	1	027 / (028.4) $\frac{1}{8}$ " ¹⁰

G945SW

WEIGHT	139.4g
SIZE	1-1/8" Head Tube Reduced to 1" Fork Tube Threaded Headset
DIMENSIONS	Ø22.2x34x27(26.4)




堆積高度(STACK HEIGHT)=36±1mm

NO.	零件名稱 PART NAME	材質 MATERIAL	台量 QTY	尺寸 DIM. DESCRIPTION
1	防水上迫緊 LOCK NUT WITH SEAL	碳鋼 STEEL	1	BC 1"x24T
2	有領華司 KEY WASHER	碳鋼 STEEL	1	2xOD30(1")
3	上塞 ADJUSTING CONE	碳鋼 STEEL	1	BC 1"x24T
4	珠巢 BALL RETAINER	碳鋼 STEEL	2	5/32"x16
5	上碗 UPPER CUP	碳鋼 STEEL	1	Ø34 ^{+0.15} ₋₀
6	下碗 LOWER CUP	碳鋼 STEEL	1	Ø34 ^{+0.15} ₋₀
7	防水圈 DUST-RESISTANT COVER	塑膠 NYLON	1	
8	下塞 CROWN RACE	碳鋼 STEEL	1	Ø27 (Ø26.4) ⁺⁰ _{-0.1}

G952G

WEIGHT	160.2g
SIZE	1-1/8"x26T
SHIS NORM	Ø28.6x34x30




堆積高度(STACK HEIGHT)=37.5±1mm

NO.	零件名稱 PART NAME	材質 MATERIAL	台量 QTY	尺寸 DIM. DESCRIPTION
1	通孔上迫緊 LOCK NUT (ØØ THROUGH)	碳鋼 STEEL	1	BC 1-1/8"x26T
2	中國華司 PLAIN WASHER	碳鋼 STEEL	1	2xOD36(1-1/8")
3	上塞 ADJUSTING CONE	碳鋼 STEEL	1	BC 1-1/8"x26T
4	珠巢 BALL RETAINER	碳鋼 STEEL	2	5/32"x22
5	碗 CUPS	碳鋼 STEEL	2	Ø34 ^{+0.15} ₋₀
6	下塞 CROWN RACE	碳鋼 STEEL	1	Ø30 ⁺⁰ _{-0.1}

G952SW-P

WEIGHT	174g
SIZE	1-1/8"x26T
DIMENSIONS	Ø25.4x34x30




堆積高度(STACK HEIGHT)=37.5±1mm

NO.	零件名稱 PART NAME	材質 MATERIAL	台量 QTY	尺寸 DIM. DESCRIPTION
1	塑膠蓋 TOP COVER	塑膠 NYLON	1	1-1/8"
2	防水上迫緊 LOCK NUT WITH SEAL	碳鋼 STEEL	1	BC 1-1/8"x26T
3	有領華司 KEY WASHER	碳鋼 STEEL	1	2xOD34(1-1/8")
4	上塞 ADJUSTING CONE	碳鋼 STEEL	1	BC 1-1/8"x26T
5	珠巢 BALL RETAINER	碳鋼 STEEL	2	5/32"x22
6	碗 CUPS	碳鋼 STEEL	2	Ø34 ^{+0.15} ₋₀
7	防水圈 DUST-RESISTANT COVER	塑膠 NYLON	1	
8	下塞 CROWN RACE	碳鋼 STEEL	1	Ø30 ⁺⁰ _{-0.1}

G953-3

WEIGHT	190g
SIZE	1-1/8"x26T
DIMENSIONS	Ø25.4x34x30




堆積高度(STACK HEIGHT)=30.5±1mm

NO.	零件名稱 PART NAME	材質 MATERIAL	台量 QTY	尺寸 DIM. DESCRIPTION
1	上迫緊 LOCK NUT	碳鋼 STEEL	1	BC 1-1/8"x26T
2	大華司 KEY WASHER	碳鋼 STEEL	1	2xOD49.5(1-1/8")
3	上塞 ADJUSTING CONE	碳鋼 STEEL	1	BC 1-1/8"x26T
4	珠巢 BALL RETAINER	碳鋼 STEEL	2	5/32"x22
5	上碗 UPPER CUP	碳鋼 STEEL	1	Ø34 ^{+0.15} ₋₀
6	下碗 LOWER CUP	碳鋼 STEEL	1	Ø34 ^{+0.15} ₋₀
7	下塞 CROWN RACE	碳鋼 STEEL	1	Ø30 ⁺⁰ _{-0.1}

G952CW

WEIGHT	171.4g
SIZE	1-1/8"x26T
DIMENSIONS	Ø25.4x34x30




堆積高度(STACK HEIGHT)=38±1mm

NO.	零件名稱 PART NAME	材質 MATERIAL	台量 QTY	尺寸 DIM. DESCRIPTION
1	防水上迫緊 LOCK NUT WITH SEAL	碳鋼 STEEL	1	BC 1-1/8"x26T
2	有領華司 KEY WASHER	碳鋼 STEEL	1	2xOD34(1-1/8")
3	上塞 ADJUSTING CONE	碳鋼 STEEL	1	BC 1-1/8"x26T
4	半卡式碗 Semi-Cartridge STEEL CUP	碳鋼 STEEL	2	Ø34 ^{+0.15} ₋₀
5	下塞 CROWN RACE	碳鋼 STEEL	1	Ø30 ⁺⁰ _{-0.1}

G952SW

WEIGHT	161g
SIZE	1-1/8"x26T
DIMENSIONS	Ø25.4x34x30




堆積高度(STACK HEIGHT)=37.5±1mm

NO.	零件名稱 PART NAME	材質 MATERIAL	台量 QTY	尺寸 DIM. DESCRIPTION
1	防水上迫緊 LOCK NUT WITH SEAL	碳鋼 STEEL	1	BC 1-1/8"x26T
2	有領華司 KEY WASHER	碳鋼 STEEL	1	2xOD34(1-1/8")
3	上塞 ADJUSTING CONE	碳鋼 STEEL	1	BC 1-1/8"x26T
4	珠巢 BALL RETAINER	碳鋼 STEEL	2	5/32"x22
5	碗 CUPS	碳鋼 STEEL	2	Ø34 ^{+0.15} ₋₀
6	防水圈 DUST-RESISTANT COVER	塑膠 NYLON	1	
7	下塞 CROWN RACE	碳鋼 STEEL	1	Ø30 ⁺⁰ _{-0.1}

G953SW

WEIGHT	149g
SIZE	1-1/8"x26T
DIMENSIONS	Ø25.4x34x30




堆積高度(STACK HEIGHT)=34±1mm

NO.	零件名稱 PART NAME	材質 MATERIAL	台量 QTY	尺寸 DIM. DESCRIPTION
1	防水上迫緊 LOCK NUT WITH SEAL	碳鋼 STEEL	1	BC 1-1/8"x26T
2	有領華司 KEY WASHER	碳鋼 STEEL	1	2xOD34(1-1/8")
3	上塞 ADJUSTING CONE	碳鋼 STEEL	1	BC 1-1/8"x26T
4	珠巢 BALL RETAINER	碳鋼 STEEL	2	5/32"x22
5	碗 CUPS	碳鋼 STEEL	2	Ø34 ^{+0.15} ₋₀
6	防水圈 DUST-RESISTANT COVER	塑膠 NYLON	1	
7	下塞 CROWN RACE	碳鋼 STEEL	1	Ø30 ⁺⁰ _{-0.1}

G953SW


WEIGHT	188g
SIZE	1-1/8"x26T
DIMENSIONS	Ø25.4x34x30



堆積高度(STACK HEIGHT)=39±1mm


NO.	零件名稱 PART NAME	材質 MATERIAL	台量 QTY	尺寸 DIM. DESCRIPTION
1	防水上迫緊 LOCK NUT WITH SEAL	碳鋼 STEEL	1	BC 1-1/8"x26T
2	有領華司 KEY WASHER	碳鋼 STEEL	1	2xOD34(1-1/8")
3	上塞 ADJUSTING CONE	碳鋼 STEEL	1	BC 1-1/8"x26T
4	珠巢 BALL RETAINER	碳鋼 STEEL	1	5/32"x22
5	上碗 UPPER CUP	碳鋼 STEEL	1	Ø34 ^{+0.15} ₋₀
6	下碗 LOWER CUP	碳鋼 STEEL	1	Ø34 ^{+0.15} ₋₀
7	條珠珠巢 NEEDLE BEARING	碳鋼 STEEL	1	Ø2.5x22
8	防水圈 RUBBER SEAL	橡膠 NBR	1	
9	下塞 CROWN RACE	碳鋼 STEEL	1	Ø30 ⁺⁰ _{-0.1}

GE9114




NO.	零件名稱 PART NAME	材質 MATERIAL	台量 QTY	尺寸 DIM. DESCRIPTION
1	上迫緊 LOCK NUT	碳鋼 STEEL	1	M25xP1
2	上塞 ADJUSTING CONE	碳鋼 STEEL	1	M25xP1
3	珠巢 BALL RETAINER	碳鋼 STEEL	1	5/32"x20
4	上碗 UPPER CUP	碳鋼 STEEL	1	Ø30 +0.1/-0.02
5	下碗 LOWER CUP	碳鋼 STEEL	1	Ø50 +0.05/-0.02
6	珠巢 BALL RETAINER	碳鋼 STEEL	1	1/4"x15B
7	下塞 CROWN RACE	碳鋼+塑膠 STEEL+NYLON	1	Ø30 +0.05/-0.02

GE9112



NO.	零件名稱 PART NAME	材質 MATERIAL	台量 QTY	尺寸 DIM. DESCRIPTION
1	上迫緊 LOCK NUT	碳鋼 STEEL	1	M25xP1
2	上塞 ADJUSTING CONE	碳鋼 STEEL	1	M25xP1
3	珠巢 BALL RETAINER	碳鋼 STEEL	2	5/32"x20
4	上碗 UPPER CUP	碳鋼 STEEL	1	Ø30 +0.1/-0.02
5	下碗 LOWER CUP	碳鋼 STEEL	1	Ø30 +0.1/-0.02
6	下塞 CROWN RACE	碳鋼 STEEL	1	Ø27 +0.05/-0.02
7	防塵蓋 DUST-RESISTANT COVER	塑膠 NYLON	1	


GE9113




NO.	零件名稱 PART NAME	材質 MATERIAL	台量 QTY	尺寸 DIM. DESCRIPTION
1	上迫緊 LOCK NUT	碳鋼 STEEL	1	M25xP1
2	上塞 ADJUSTING CONE	碳鋼 STEEL	1	M25xP1
3	珠巢 BALL RETAINER	碳鋼 STEEL	1	5/32"x20
4	上碗 UPPER CUP	碳鋼 STEEL	1	Ø30 +0.1/-0.02
5	下碗 LOWER CUP	碳鋼 STEEL	1	Ø43 +0.05/-0.02
6	珠巢 BALL RETAINER	碳鋼 STEEL	1	3/16"x18B
7	下塞 CROWN RACE	碳鋼 STEEL	1	Ø27 +0.05/-0.02



外牙中軸 Nut Type Cotterless Axle



內牙中軸 Bolt Type Cotterless Axle



內外牙中軸尺寸圖 Bolt/Nut Type Axle Dimension Chart

AXLE MODEL	3H	3E	3M	3J	3L	3A	3P	3PL	3N	3NL	3SS	3S	3T	3U	3UM	3R	3RM	3RMC	3MC
BRACKET WIDTH	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68
A	28	28	29	30.5	32	32	32	35	32	35	32	35	35	35	37.5	35	37.5	40.5	32
B	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52
C	28	30.5	29	30.5	32	33.5	35	35	36	36	37.5	37.5	39	40.5	40.5	42	42	42	43.5
L	108.0	110.5	110	113	116	117.5	119	122	120	123.0	121.5	124.5	126	127.5	130	129	131.5	134.5	127.5

AXLE MODEL	5A	5P	5SS	5S	5T	5U	5R	7J	7L	7A	7P	7PL	7N	7NN	7SS	7S	7T	7U	7R
BRACKET WIDTH	70	70	70	70	70	70	70	73	73	73	73	73	73	73	73	73	73	73	73
A	32	32	32	35	35	35	35	30.5	32	32	32	35	32	36	32	35	35	35	35
B	54	54	54	54	54	54	54	57	57	57	57	57	57	57	57	57	57	57	57
C	33.5	35	37.5	37.5	39	40.5	42	30.5	32	33.5	35	35	36	36	37.5	37.5	39	40.5	42
L	119.5	121.0	123.5	126.5	128	129.5	131	118	121	122.5	124	127	125	129	126.5	129.5	131	132.5	134

PS:紅框尺寸有最低訂購量限制。Red Frame Dimension,have MOQ limit.

C817 / (C817A) / (C817C)



COMPONENTS 內容物

10B21 Spindle, Dust Seal & Pre-Lubed Cartridge
Steel Cups, Plastic Body

LOCKING RING COLOR 鎖環顏色

Black 黑

CUP COLOR 碗顏色

Black 黑

APPLICATIONS 適合車種

MTB 登山車, Road 公路車

WEIGHT(LENGTH122.5) 重量(長度122.5)

C817/315g

Threads 牙紋規格

BC 1.37"x24T R/L (C817/C817E)
BC 36mmx24T R/R (C817C)
(C817/C817C)
(C817E)

Steel cups 鐵左右碗

E-type steel cup 鐵左右碗,右碗為 E-type

C800 / (C800A)



COMPONENTS 內容物

10B21 Spindle & Steel cups, Steel Body,
Sealed Bearing 2pcs

CUP COLOR 碗顏色

Black 黑

APPLICATIONS 適合車種

Fat Bike 雪地車


WEIGHT(LENGTH179.5) 重量(長度179.5)

C800E/458g

Threads 牙紋規格


BC 1.37"x24T R/L
(C800E)

E-type steel cup 鐵左右碗,右碗為 E-type



AXLE MODEL 中軸代號	AXLE LENGTH 中軸長度	B.B. SHELL WIDTH=68mm 五通管寬度 68mm				B.B. SHELL WIDTH=70mm 五通管寬度 70mm			
	L	A	B	C	D	A	B	C	D
2H	108.0(29.0/50/29.0)	20.5	68	19.5	53.5	18.5	70	19.5	54.5
2M	111.0(30.5/50/30.5)	22.0	68	21.0	55.0	20.0	70	21.0	56.0
2J	113.5(31.5/50/32.0)	23.0	68	22.5	56.5	21.0	70	22.5	57.5
2L	116.0(33.0/50/33.0)	24.5	68	23.5	57.5	22.5	70	23.5	58.5
2A	118.0(33.0/50/35.0)	24.5	68	25.5	59.5	22.5	70	25.5	60.5
2P	119.0(33.0/50/36.0)	24.5	68	26.5	60.5	22.5	70	26.5	61.5
2N	120.5(33.0/50/37.5)	24.5	68	28.0	62.0	22.5	70	28.0	63.0
2SS	122.0(33.0/50/39.0)	24.5	68	29.5	63.5	22.5	70	29.5	64.5
2NL	122.5(35.0/50/37.5)	26.5	68	28.0	62.0	24.5	70	28.0	63.0
2S	125.0(36.0/50/39.0)	27.5	68	29.5	63.5	25.5	70	29.5	64.5
2T	126.5(36.0/50/40.5)	27.5	68	31.0	65.0	25.5	70	31.0	66.0
2U	128.0(36.0/50/42.0)	27.5	68	32.5	66.5	25.5	70	32.5	67.5
2R	129.5(36.0/50/43.5)	27.5	68	34.0	68.0	25.5	70	34.0	69.0
2UM	131.0(39.0/50/42.0)	30.5	68	32.5	66.5	28.5	70	32.5	67.5
2RMC	135.5(42.0/50/43.5)	33.5	68	34.0	68.0	31.5	70	34.0	69.0

PS:紅框尺寸有最低訂購量限制。Red Frame Dimension,have MOQ limit.



LENGTH 中軸長度	B.B. SHELL WIDTH=100mm 五通管寬度 100mm					B.B. SHELL WIDTH=120mm 五通管寬度 120mm					B.B. SHELL WIDTH=130mm 五通管寬度 130mm				
L	A	B	C	D	F	A	B	C	D	F	A	B	C	D	F
151.0	27.8	100	23.2	73.2	3.0										
159.5	30.8	100	28.7	78.7	3.0										
164.0	29.5	100	34.5	84.5	4.0										
167.0						28.5	120	18.5	78.5	2.6					
167.0						25.0	120	22.0	82.0	1.9					
167.0						22.0	120	25.0	85.0	1.3					
179.5						30.8	120	28.7	88.7	3.0					
177.0											22.0	130	25.0	90.0	2.0

PS:紅框尺寸有最低訂購量限制。Red Frame Dimension,have MOQ limit.


C831/(C831E)/(C831A)/(C831AAL)/(C831BAL)



COMPONENTS 內容物	10B21 Axle & Alloy cups, Steel Body, Sealed Bearing 2pcs 鋁軸心, 鋁牙碗, 鐵中管, 培林x2
APPLICATIONS 適合車種	MTB 登山車, Road 公路車
WEIGHT(LENGTH122.5) 重量(長度122.5)	C831A/276g,C831AL/277g,C831AAL/250g

Threads 牙紋規格	BC 1.37"x24T R/L (C831/C831E/C831A/C831AAL) BC 36mmx24T R/R(C831BAL)
Alloy cups,Steel Body 鋁碗,鐵中管	(C831)
Steel cups,Alloy Body 鐵碗,鋁中管	(C831A)
Alloy cups,Alloy Body 鋁碗,鋁中管	(C831AAL)
E-type alloy cup 鋁碗,鐵中管,右碗為 E-type	(C831E)

LENGTH 中軸長度	B.B. SHELL WIDTH=68mm 五通管寬度 68mm				B.B. SHELL WIDTH=70mm 五通管寬度 70mm				B.B. SHELL WIDTH=73mm 五通管寬度 73mm			
L	A	B	C	D	A	B	C	D	A	B	C	D
103.0	(16.5)	68	18.5	52.5								
107.5	(19.0)	68	20.5	54.5								
110.5	(22.0)	68	20.5	54.5	(21.0)	70	19.5	54.5				
113.5	(22.5)	68	23.0	57.0	(21.5)	70	22.0	57.0	(20.0)	73	20.5	57.0
115.0	(23.0)	68	24.0	58.0	(22.0)	70	23.0	58.0	(20.5)	73	21.5	58.0
116.0	(23.0)	68	25.0	59.0	(22.0)	70	24.0	59.0	(20.5)	73	22.5	59.0
118.0	(25.0)	68	25.0	59.0	(24.0)	70	24.0	59.0	(22.5)	73	22.5	59.0
119.0	(24.0)	68	27.0	61.0	(23.0)	70	26.0	61.0	(21.5)	73	24.5	61.0
122.5	(26.0)	68	28.5	62.5	(25.0)	70	27.5	62.5	(23.5)	73	26.0	62.5
124.5	(27.0)	68	29.5	63.5	(26.0)	70	28.5	63.5	(24.5)	73	27.0	63.5
126.0	(27.0)	68	31.0	65.0	(26.0)	70	30.0	65.0	(24.5)	73	28.5	65.0
127.5	(28.5)	68	31.0	65.0	(27.5)	70	30.0	65.0	(26.0)	73	28.5	65.0
131.0	(29.0)	68	34.0	68.0	(28.0)	70	33.0	68.0	(26.5)	73	31.5	68.0




C831hHAL/(C831HBAL)




COMPONENTS 內容物	Cr-mo Stain Hollow Spindle & Alloy cups, Steel Body, Sealed Bearing 2pcs 鈹鉻鋼中空軸心, 鋁牙碗, 鐵中管, 培林x2
APPLICATIONS 適合車種	Trekking Bike 旅行車, Comfort Bike 城市車
WEIGHT(LENGTH179.5) 重量(長度179.5)	C831HAL/255G

Threads 牙紋規格	BC 1.37"x24T R/L(C831HAL) BC 36mmx24T R/R(C831HBAL)
--------------	--

LENGTH 中軸長度	B.B. SHELL WIDTH=68mm 五通管寬度 68mm				B.B. SHELL WIDTH=70mm 五通管寬度 70mm				B.B. SHELL WIDTH=73mm 五通管寬度 73mm			
L	A	B	C	D	A	B	C	D	A	B	C	D
107.5	19.0	68	20.5	54.5								
110.5	22.0	68	20.5	54.5	21.0	70	19.5	54.5				
113.5	22.5	68	23.0	57.0	21.5	70	22.0	57.0	20.0	73	20.5	57.0
115.0	23.0	68	24.0	58.0	22.0	70	23.0	58.0	20.5	73	21.5	58.0
116.0	23.0	68	25.0	59.0	22.0	70	24.0	59.0	20.5	73	22.5	59.0
118.0	25.0	68	25.0	59.0	24.0	70	24.0	59.0	22.5	73	22.5	59.0
119.0	24.0	68	27.0	61.0	23.0	70	26.0	61.0	21.5	73	24.5	61.0
122.5	26.0	68	28.5	62.5	25.0	70	27.5	62.5	23.5	73	26.0	62.5
127.5	28.5	68	31.0	65.0	27.5	70	30.0	65.0	26.0	73	28.5	65.0
131.0	29.0	68	34.0	68.0	28.0	70	33.0	68.5	26.5	73	31.5	68.5



C851/(C851E)



COMPONENTS 內容物	Cr-Mo Stain Hollow Spindle, Carbon Body & Alloy cups, Sealed Bearing 2pcs 鈹鉻鋼空心軸心, 碳纖維中管, 鋁碗, 培林x2
APPLICATIONS 適合車種	MTB 登山車, Road 公路車
WEIGHT(LENGTH122.5) 重量(長度122.5)	C851/228g

Threads 牙紋規格	BC 1.37"x24T R/L
E-type alloy cup 右碗為 E-type	C851E

LENGTH 中軸長度	B.B. SHELL WIDTH=68mm 五通管寬度 68mm				B.B. SHELL WIDTH=70mm 五通管寬度 70mm				B.B. SHELL WIDTH=73mm 五通管寬度 73mm			
L	A	B	C	D	A	B	C	D	A	B	C	D
107.5	(19.0)	68	20.5	54.5								
110.5	(22.0)	68	20.5	54.5	(21.0)	70	19.5	54.5				
113.5	(22.5)	68	23.0	57.0	(21.5)	70	22.0	57.0	(20.0)	73	20.5	57.0
115.0	(23.0)	68	24.0	58.0	(22.0)	70	23.0	58.0	(20.5)	73	21.5	58.0
116.0	(23.0)	68	25.0	59.0	(22.0)	70	24.0	59.0	(20.5)	73	22.5	59.0
118.0	(25.0)	68	25.0	59.0	(24.0)	70	24.0	59.0	(22.5)	73	22.5	59.0
122.5	(26.0)	68	28.5	62.5	(25.0)	70	27.5	62.5	(23.5)	73	26.0	62.5
127.5	(28.5)	68	31.0	65.0	(27.5)	70	30.0	65.0	(26.0)	73	28.5	65.0


C851CT



COMPONENTS 內容物	Titanium Hollow Axle, Carbon Body & Alloy cups, Sealed Bearing 2pcs 鈦空心軸心, 碳纖維中管, 鋁碗, 培林x2
APPLICATIONS 適合車種	MTB 登山車, Road 公路車
WEIGHT(LENGTH122.5) 重量(長度122.5)	158g

Threads 牙紋規格	BC 1.37"x24T R/L
--------------	------------------

LENGTH 中軸長度	B.B. SHELL WIDTH=68mm 五通管寬度 68mm				B.B. SHELL WIDTH=70mm 五通管寬度 70mm				B.B. SHELL WIDTH=73mm 五通管寬度 73mm			
L	A	B	C	D	A	B	C	D	A	B	C	D
103.0	(16.5)	68	18.5	52.5								
107.5	(19.0)	68	20.5	54.5								
110.5	(22.0)	68	20.5	54.5	(21.0)	70	19.5	54.5				
113.5	(22.5)	68	23.0	57.0	(21.5)	70	22.0	57.0	(20.0)	73	20.5	57.0
115.0	(23.0)	68	24.0	58.0	(22.0)	70	23.0	58.0	(20.5)	73	21.5	58.0
116.0	(23.0)	68	25.0	59.0	(22.0)	70	24.0	59.0	(20.5)	73	22.5	59.0
118.0	(25.0)	68	25.0	59.0	(24.0)	70	24.0	59.0	(22.5)	73	22.5	59.0
122.5	(26.0)	68	28.5	62.5	(25.0)	70	27.5	62.5	(23.5)	73	26.0	62.5
127.5	(28.5)	68	31.0	65.0	(27.5)	70	30.0	65.0	(26.0)	73	28.5	65.0



C992



C992: BSA 1.37" X24T, R/L
MATERIAL 材料 Steel, Set of 5pcs 铁x5pcs
ROTATOR 转动机构 Ball Retainers 珠巢 1/4" x9x2pcs
FINISH 表面处理 CP, UCP, ED, BK
APPLICATIONS 通用车种 Light Weight 轻便车, Mini Cycle 小车

C993



C993: BSA 1.37" X24T, R/L
MATERIAL 材料 Steel, Set of 5pcs 铁x5pcs
ROTATOR 转动机构 Ball Retainers 珠巢 1/4" x9x2pcs
FINISH 表面处理 CP, UCP, ED, BK
APPLICATIONS 通用车种 Light Weight 轻便车, Mini Cycle 小车

C997




C997: BSA 1.37" X24T, R/L
MATERIAL 材料 Steel, Set of 5pcs 铁x6pcs
ROTATOR 转动机构 Ball Retainers 珠巢 1/4" x9x2pcs
FINISH 表面处理 CP, UCP, ED, BK
APPLICATIONS 通用车种 Comfort(w/Chain Guard) 城市车 (加链条保护盖)

C998(C998C)




C998: BSA 1.37" X24T, R/L
B887B: Italian 36mmx24T,R/R
MATERIAL 材料 Steel, Set of 5pcs 铁x5pcs
ROTATOR 转动机构 Ball Retainers 珠巢 1/4" x9x2pcs
FINISH 表面处理 CP, UCP, ED, BK
APPLICATIONS 通用车种 Light Weight 轻便车, Mini Cycle 小车

C999




CUP SIZE 碗尺寸 Ø43mm
THREAD TYPE 牙纹 Left Cone: 3/4" un24T-LH
Right Cone: 13/16" un24T
MATERIAL 材料 Steel, Set of 9pcs 铁x9pcs
ROTATOR 转动机构 Ball Retainers 珠巢 5/16" x7x2pcs
FINISH 表面处理 UCP, BK
APPLICATIONS 通用车种 Children Bike 童车

C998



CUP SIZE 碗尺寸 Ø51.5mm
THREAD TYPE 牙纹 Left Cone: 7/8" un 24T-LH
Right Cone: 15/16" un 24T
MATERIAL 材料 Steel, Set of 9pcs 铁x9pcs
ROTATOR 转动机构 Ball Retainers 珠巢 5/16" x9x2pcs
FINISH 表面处理 UCP, BK
APPLICATIONS 通用车种 BMX & Freestyle 表演车

C981




CUP SIZE 碗尺寸 Ø45mm
THREAD TYPE 牙纹 Left Cone: 22 un 24T-LH
Right Cone: 23.2un 32T
MATERIAL 材料 Steel, Set of 10pcs 铁x10pcs
ROTATOR 转动机构 Ball Retainers 珠巢 1/4" x11Cx2pcs
FINISH 表面处理 UCP, BK

C981C



CUP SIZE 碗尺寸 Ø45mm
THREAD TYPE 牙纹 Left Cone: 22 un 24T-LH
Right Cone: 23.2un 32T
MATERIAL 材料 Steel, Set of 10pcs 铁x6pcs
ROTATOR 转动机构 Ball Retainers 培林
FINISH 表面处理 UCP

C988W



CUP SIZE 碗尺寸 Ø51.5mm
THREAD TYPE 牙纹 Left Cone: 7/8" un 24T-LH
Right Cone: 15/16" un 24T
MATERIAL 材料 Steel (Cups Set Parts/碗及牙塞),
SCM430(AXLE/中轴)
Set of 14pcs 铁x14pcs
ROTATOR 转动机构 Ball Retainers 珠巢
5/16" x12x2pcs ,Dust Seals
FINISH 表面处理 CP(Cups Set Part/碗及牙塞)
+ BK(AXLE/中轴)
APPLICATIONS 通用车种 Heavy BMX 表演车 MTB 登山车